

Index of Papers Published in 1972 Journals

Author Index

A

- Agarwal, R. G. and Ramey, H. J., Jr.: *Annulus Unloading Rates as Influenced by Wellbore Storage and Skin Effect*, SPEJ Oct., 453
- Akins, James E.: *The Nature of the Crisis in Energy*, (Art.) JPT Dec., 1479
- Alexander, J. D., et al: *Thermal Recovery at North Tisdale Field, Wyoming*, (Tech. Paper) JPT May, 606
- Alger, R. P., et al: *The Dual-Spacing Neutron Log—CNL*, (Tech. Paper) JPT Sept., 1073
- Allen, D. R.: *Environmental Aspects of Oil Producing Operations—Long Beach, California*, (Tech. Paper) JPT Feb., 125
- Allen, K.: *Eminence Dome—Natural-Gas Storage in Salt Comes of Age*, (Tech. Paper) JPT Nov., 1299
- Alpay, O. A.: *A Practical Approach to Defining Reservoir Heterogeneity*, (Tech. Paper) JPT July, 841
- Amirijafari, B. and Campbell, J. M.: *Solubility of Gaseous Hydrocarbon Mixtures in Water*, SPEJ Feb., 21
- Anderson, D. B. and Field, L. J.: *An Analytical Approach to Removing Mud Solids*, (Tech. Paper) JPT June, 663
- Archer, D. L., et al: *Laboratory Evaluation of the Wettability of Fifty Oil Producing Reservoirs*, SPEJ Dec., 531
- Ausburn, B. E., et al: *Using Resistivity Measurements To Determine Distance Between Wells*, JPT June, 723
- Aziz, K. and Settari, A.: *Use of Irregular Grid in Reservoir Simulation*, (Tech. Paper) SPEJ Apr., 103

B

- Babjak, L., et al: *A Relationship Between Pore Structure and Residual Oil Saturation in Tertiary Surfactant Floods*, (Tech. Paper) SPEJ Aug., 289
- Baldwin, W. F., et al: *Sand Production Determined from Noise Measurements*, (Tech. Paper) JPT July, 803
- Ballard, J. R. and Smith, L. R.: *Reservoir Engineering Design of a Low-Pressure Rich Gas Miscible Slug Flood*, (Tech. Paper) JPT May, 599
- Barkman, J. H. and Davidson, D. H.: *Measuring Water Quality and Predicting Well Impairment*, JPT July, 865
- Bell, W. T., et al: *Laboratory Flow Characteristics of Gun Perforations*, (Tech. Paper) JPT Sept., 1095
- Berry, D. W. and Nolen, J. S.: *Tests of the Stability and Time-Step Sensitivity of Semi-Implicit Reservoir Simulation Techniques*, SPEJ June, 253
- Berry, L. N., et al: *Using Resistivity Measurements To Determine Distance Between Wells*, JPT June, 723
- Berry, W. L.: *Pollution Control Aspects of the Bay Marchand Fire*, (Tech. Paper) JPT Mar., 241
- Blenkarn, K. A. and Hsu, F. H.: *Analysis of Peak Mooring Forces Caused by Slow Vessel Drift Oscillations in Random Seas*, (Tech. Paper) SPEJ Aug., 329
- Boberg, T. C. and Shutler, N. D.: *A One-Dimensional, Analytical Method for Predicting Oil Recovery by Steamflooding*, (Tech. Paper) SPEJ Dec., 489
- Boberg, T. C. and West, R. C.: *Correlation of Steam Stimulation Performance*, (Forum) JPT Nov., 1367
- Bodle, W. W. and Khan, A. R.: *Supplementing United States Gas Supplies with Imported LNG*, (Tech. Paper) JPT May, 535
- Bondor, P. L., et al: *Mathematical Simulation of Polymer Flooding in Complex Reservoirs*, (Tech. Paper) SPEJ Oct., 369
- Bourgoynne, A. T., Jr., et al: *The Effect of Interfacial Films on the Displacement of Oil by Water in Porous Media*, SPEJ Feb., 60
- Braester, C.: *Simultaneous Flow of Immiscible Liquids Through Porous Fissured Media*, (Tech. Paper) SPEJ Aug., 297
- Brieger, E. F., et al: *Laboratory Flow Characteristics of Gun Perforations*, (Tech. Paper) JPT Sept., 1095
- Brissaud, F., et al: *Evolution of Capillarity and Relative Permeability Hysteresis*, SPEJ Feb., 28

- Brons, F. and Silbergh, M.: *Profitability Analysis—Where Are We Now?*, (Tech. Paper) JPT Jan., 90
- Browning, W. C. and Chesser, B. G.: *Polymer-Polyelectrolyte Drilling Fluid Systems*, (Tech. Paper) JPT Oct., 1255
- Bruist, E. H.: *A New Approach in Relief Well Drilling*, JPT June, 713
- Bucaram, S. M. and Sullivan, J. H.: *A Data Gathering and Processing System To Optimize Producing Operations*, (Tech. Paper) JPT Feb., 185
- Burcik, E. J. and Thakur, G. C.: *Reaction of Polyacrylamide with Commonly Used Additives*, (Forum) JPT Sept., 1137
- Burger, J. G. and Sahuquet, B. C.: *Chemical Aspects of In-Situ Combustion—Heat of Combustion and Kinetics*, SPEJ Oct., 410
- Burke, B. G.: *The Analysis of Drilling Barge Motions in a Random Sea*, SPEJ Dec., 541
- Burke, B. G. and Tighe, J. T.: *A Time Series Model for Dynamic Behavior of Offshore Structures*, SPEJ Apr., 156
- Burwell, E. L., et al: *Evaluation of an In-Situ Retorting Experiment in Green River Oil Shale*, (Tech. Paper) JPT Jan., 21

C

- Cady, G. V., et al: *Well-Test Analysis for Vertically Fractured Wells*, JPT Aug., 1014
- Campbell, J. M. and Amirijafari, B.: *Solubility of Gaseous Hydrocarbon Mixtures in Water*, SPEJ Feb., 21
- Carney, L. L., et al: *Quantitative Determination of Lignosulfonates in Drilling Fluids by Ultraviolet Absorption Analysis*, (Tech. Paper) JPT June, 651
- Carpenter, H. C., et al: *Evaluation of an In-Situ Retorting Experiment in Green River Oil Shale*, (Tech. Paper) JPT Jan., 21
- Carter, G. and Slagle, K.: *A Study of Completion Practices To Minimize Gas Communication*, (Tech. Paper) JPT Sept., 1170
- Caudle, B. H., et al: *The Effect of Interfacial Films on the Displacement of Oil by Water in Porous Media*, SPEJ Feb., 60
- Chase, C. A. and May, R. A.: *Parametric Pulsing of Oil and Gas Reservoirs—An Evaluation of the Merits*, (Tech. Paper) JPT Jan., 85
- Chen, G. O., et al: *A Novel Liquid Permeameter for Measuring Very Low Permeability*, (Tech. Paper) SPEJ June, 206
- Chesser, B. G. and Browning, W. C.: *Polymer-Polyelectrolyte Drilling Fluid Systems*, (Tech. Paper) JPT Oct., 1255
- Childers, M. A., et al: *An Effective Tool for Monitoring Marine Risers*, (Tech. Paper) JPT Mar., 337
- Claridge, E. L.: *Discussion of the Use of Capillary Tube Networks in Reservoir Performance Studies*, (Tech. Paper) SPEJ Aug., 352
- Prediction of Recovery in Unstable Miscible Flooding*, (Tech. Paper) SPEJ Apr., 143
- Clay, T., et al: *Performance of Sharon Ridge Canyon Unit with Water Injection*, (Tech. Paper) JPT Apr., 431
- Clements, R. L. and Miller, R. T.: *Reservoir Engineering Techniques Used To Predict Blowout Control During Bay Marchand Fire*, (Tech. Paper) JPT Mar., 234
- Cobb, W. M., et al: *Well-Test Analysis for Wells Producing Commingled Zones*, JPT Jan., 27
- Colonna, J., et al: *Evolution of Capillarity and Relative Permeability Hysteresis*, SPEJ Feb., 28
- Cook, G. L.: *Oil Shale—An Impending Energy Source*, (Tech. Paper) JPT Nov., 1325
- Coppel, C. P. and Newberg, P. L.: *Field Results of Solvent Stimulation in a Low-Gravity-Oil Reservoir*, (Tech. Paper) JPT Oct., 1213
- Corteville, J., et al: *A Numerical Study of Diphasic Multi-component Flow*, SPEJ Apr., 171

- Coulter, G. R. and Wells, R. D.: *The Advantages of High Proppant Concentration in Fracture Stimulation*, (Tech. Paper) JPT June, 643
- Cox, E.: *Surface and Reservoir Control of Injection Water in the Hewitt Unit Waterflood*, (Tech. Paper) JPT Apr., 426
- Craig, F. F., Jr.: *The Tulsa Meeting in Retrospect—An Interview with Program Chairman Craig*, (Art.) JPT June, 686

D

- Daniel, E. L. and DesBrisay, C. L.: *Supplemental Recovery Development of the Intisar "A" and "D" Reef Fields, Libyan Arab Republic*, (Tech. Paper) JPT July, 785
- Davidson, D. H. and Barkman, J. H.: *Measuring Water Quality and Predicting Well Impairment*, JPT July, 865
- Davis, J. G., et al: *The Influence of Environment on Corrosion and Cathodic Protection*, (Tech. Paper) JPT Mar., 323
- Dawson, R. and Lantz, R. B.: *Inaccessible Pore Volume in Polymer Flooding*, SPEJ Oct., 448
- Deax, D. W.: *A Simple, Low-Cost Method for Determining the Productivity Index of High-GOR Pumping Wells*, (Tech. Paper) JPT Dec., 1417
- DesBrisay, C. L. and Daniel, E. L.: *Supplemental Recovery Development of the Intisar "A" and "D" Reef Fields, Libyan Arab Republic*, (Tech. Paper) JPT July, 785
- Dew, J. N., et al: *Thermal Recovery at North Tisdale Field, Wyoming*, (Tech. Paper) JPT May, 606
- Dhawan, G. K., et al: *A Relationship Between Pore Structure and Residual Oil Saturation in Tertiary Surfactant Floods*, (Tech. Paper) SPEJ Aug., 289
- Diefenbach, R. E.: *Help Wanted—Petroleum Engineers*, (Forum) JPT Apr., 438
- Dittman, E. W., et al: *In-Situ Combustion in a Thin Reservoir Containing High-Gravity Oil*, JPT Feb., 199
- Doremus, G. L., et al: *The Influence of Environment on Corrosion and Cathodic Protection*, (Tech. Paper) JPT Mar., 323
- Duggan, J. O.: *The Anderson "L"—An Abnormally Pressured Gas Reservoir in South Texas*, (Tech. Paper) JPT Feb., 132
- Dullien, F. A. L., et al: *A Relationship Between Pore Structure and Residual Oil Saturation in Tertiary Surfactant Floods*, (Tech. Paper) SPEJ Aug., 289

E

- Earlougher, R. C., Jr.: *Comparing Single-Point Pressure Buildup Data with Reservoir Simulator Results*, (Forum) JPT June, 711
- Variable Flow Rate Reservoir Limit Testing, (Tech. Paper) JPT Dec., 1423; discussion, 1429
- Earlougher, R. C., Jr. and Kersch, K. M.: *Field Examples of Automatic Transient Test Analysis*, (Tech. Paper) JPT Oct., 1271
- Eaton, B. A.: *The Effect of Overburden Stress on Geopressure Prediction from Well Logs*, (Tech. Paper) JPT Aug., 929
- Eddy, H. D., et al: *A Comparison of Various Directional Survey Models and an Approach to Model Error Analysis*, (Tech. Paper) JPT Aug., 935
- Elkins, L. F.: *Uncertainty of Oil in Place in Unconsolidated Sand Reservoirs—A Case History*, (Tech. Paper) JPT Nov., 1315
- Elkins, L. F., et al: *Impact of Perforation Deficiency on a Fluid Injection Project—A Case History*, (Tech. Paper) JPT Sept., 1063
- Elliott, L. S., et al: *Productivity of Inside Casing Gravel-Pack Completions*, (Tech. Paper) JPT Apr., 419
- Evans, B. and Gray, K. E.: *Effect of Bentonitic Fluid Properties on Drilling Rate*, (Tech. Paper) JPT June, 657
- Evans, D. M.: *Compiling and Reporting Proved and Potential Natural Gas in the United States*, (Tech. Paper) JPT May, 531

F

- Fairhurst, C. and von Schonfeldt, H.: *Field Experiments on Hydraulic Fracturing*, SPEJ Feb., 69

- Farouq Ali, S. M.: *A Current Appraisal of In-Situ Combustion Field Tests*, (Tech. Paper) JPT Apr., 477
- Farouq Ali, S. M. and Pacheco, E. F.: *Wellbore Heat Losses and Pressure Drop in Steam Injection*, (Tech. Paper) JPT Feb., 139
- Farouq Ali, S. M. and Totonji, A. H. M.: *Solvent Flooding Displacement Efficiency in Relation to Ternary Phase Behavior*, (Tech. Paper) SPEJ Apr., 89
- Field, L. J. and Anderson, D. B.: *An Analytical Approach to Removing Mud Solids*, (Tech. Paper) JPT June, 663
- Finch, M. P. and Marek, J. A.: *The Long-Range Planning Function as Related to Katy Field Gas Sales*, (Tech. Paper) JPT Feb., 145
- Flanigan, O.: *Constrained Derivatives in Natural Gas Pipeline System Optimization*, (Tech. Paper) JPT May, 549
- Fletcher, P. B., et al: *In-Situ Combustion in a Thin Reservoir Containing High-Gravity Oil*, JPT Feb., 199
- Fraser, J. P. and Milz, E. A.: *A Surface-Active Chemical System for Controlling and Recovering Spilled Oil from the Ocean*, (Tech. Paper) JPT Mar., 255
- Frick, J. R., Jr.: *Bacterial Processes for Improved Oil Recovery*, (Forum) JPT Dec., 1469
- Fussell, D. D. and Yarbrough, L.: *The Effect of Phase Data on Liquids Recovery During Cycling of a Gas Condensate Reservoir*, (Tech. Paper) SPEJ Apr., 96

G

- Gentry, R. W.: *Decline Curve Analysis*, (Forum) JPT Jan., 38
- Gnirk, P. F.: *The Mechanical Behavior of Uncased Wellbores Situated in Elastic/Plastic Media Under Hydrostatic Stress*, SPEJ Feb., 49
- Gogarty, W. B. and Surkalo, H.: *A Field Test of Micellar Solution Flooding*, JPT Sept., 1161
- Gottfried, B. S.: *Optimization of a Cyclic Steam Injection Process Using Penalty Functions*, (Tech. Paper) SPEJ Feb., 13
- Gould, T. L., et al: *Parametric Pulsing—A New Approach to Increased Gas Field Deliverability*, (Tech. Paper) JPT Jan., 73; discussion, 80
- Govier, J. P., et al: *Compressibility Effects on Transient Gas Pipe Flow*, (Tech. Paper) SPEJ Aug., 315
- Graham, F. W., et al: *The Influence of Environment on Corrosion and Cathodic Protection*, (Tech. Paper) JPT Mar., 323
- Granberry, W. R. and Hutlas, E. J.: *A Practical Approach to Removing Gas Well Liquids*, (Tech. Paper) JPT Aug., 916
- Gray, K. E. and Evans, B.: *Effect of Bentonitic Fluid Properties on Drilling Rate*, (Tech. Paper) JPT June, 657
- Griffith, R. A.: *A Fully Automated Twenty-Inch Heated Crude Pipeline in California*, (Tech. Paper) JPT Dec., 1431
- Gstalter, S., et al: *Instantaneous Logging Based on a Dynamic Theory of Drilling*, JPT June, 750
- Gullickson, R., et al: *Quantitative Determination of Lignosulfonates in Drilling Fluids by Ultraviolet Absorption Analysis*, (Tech. Paper) JPT June, 651
- Gurak, N., et al: *A Relationship Between Pore Structure and Residual Oil Saturation in Tertiary Surfactant Floods*, (Tech. Paper) SPEJ Aug., 289

H

- Halderson, M. H.: *Discussion on An Analysis of Automatic Closed-Loop Control of Rotary Drive Engines*, (Tech. Paper) JPT Feb., 150
- Hamby, T. W. and Smith, J. R.: *Contingency Planning for Drilling and Producing High-Pressure Sour-Gas Wells*, JPT Mar., 347
- Harboun, J.: *The Terebel Dynamic Positioning System—Results of Six Years of Field Work and Experiments*, (Tech. Paper) JPT Mar., 329
- Hardy, H. R., Jr. and Jayaraman, N. I.: *Hoop-Stress Loading—A New Method of Determining the Tensile Strength of Rock*, SPEJ June, 246
- Hardy, W. C., et al: *In-Situ Combustion in a Thin Reservoir Containing High-Gravity Oil*, JPT Feb., 199
- Harrigan, J. W., Jr., et al: *Laboratory Flow Characteristics of Gun Perforations*, (Tech. Paper) JPT Sept., 1095

- Harrison, N. W.: *Diverting Agents — History and Application*, (Tech. Paper) JPT May, 593
- Harvey, R. P., et al: *A Comparison of Various Directional Survey Models and an Approach to Model Error Analysis*, (Tech. Paper) JPT Aug., 935
- Hazlewood, D., et al: *An Effective Tool for Monitoring Marine Risers*, (Tech. Paper) JPT Mar., 337
- Hearn, C. L.: *The El Dorado Steam Drive—A Pilot Tertiary Recovery Test*, (Tech. Paper) JPT Nov., 1377
- Hedges, E. B., et al: *Parametric Pulsing — A New Approach to Increased Gas Field Deliverability*, (Tech. Paper) JPT Jan., 73; discussion, 80
- Hellums, L. J., et al: *A Nonlinear Automatic History Matching Technique for Reservoir Simulation Models*, SPEJ Dec., 508
- Henry, A. J.: *Appraisal of Income Acceleration Projects*, (Tech. Paper) JPT Apr., 385
- Henry, R. L. and Summers, D. A.: *Water Jet Cutting of Sedimentary Rock*, (Tech. Paper) JPT July, 797
- Herbert, W. E. and Young, F. S., Jr.: *Estimation of Formation Pressure with Regression Models of Drilling Data*, (Tech. Paper) JPT Jan., 9
- Hermans, A. J. and Remery, G. F. M.: *The Slow Drift Oscillations of a Moored Object in Random Seas*, (Tech. Paper) SPEJ June, 191
- Hilchie, D. W. and Stein, N.: *Estimating the Maximum Production Rate Possible from Friable Sandstones Without Using Sand Control*, JPT Sept., 1157
- Hirasaki, G. L., et al: *Mathematical Simulation of Polymer Flooding in Complex Reservoirs*, (Tech. Paper) SPEJ Oct., 369
- Methods for Increased Accuracy in Numerical Reservoir Simulators*, SPEJ Dec., 515
- Hollabaugh, G. R. and Slotboom, R. A.: *A Vertical Permeability Study*, (Tech. Paper) SPEJ June, 199
- Holm, L. W.: *Oil Saturation Measurements in the Bartlesville Sand After Waterflooding and After Propane Flooding*, (Tech. Paper) JPT Dec., 1411
- Propane-Gas-Water Miscible Floods in Watered-Out Areas of the Adena Field, California*, (Tech. Paper) JPT Oct., 1264
- Hover, G. W. and Spriggs, D. M.: *Field Performance of a Liquid Scale Inhibitor Squeeze Program*, (Tech. Paper) JPT July, 812
- Hsu, F. H. and Blenkarn, K. A.: *Analysis of Peak Mooring Forces Caused by Slow Vessel Drift Oscillations in Random Seas*, (Tech. Paper) SPEJ Aug., 329
- Huang, E. T. S.: *A Sensitivity Study of Reservoir Performance Using a Compositional Reservoir Simulator*, (Tech. Paper) SPEJ Feb., 3
- Hurst, W.: *Discussion on a General Pressure Buildup Theory for a Well in a Closed Drainage Area*, JPT Apr., 439
- Hutlas, E. J. and Granberry, W. R.: *A Practical Approach to Removing Gas Well Liquids*, (Tech. Paper) JPT Aug., 916

I

- Ilfrey, W. T., et al: *An Effective Tool for Monitoring Marine Risers*, (Tech. Paper) JPT Mar., 337
- Irwin, R. A., et al: *A Case History of the Postle Area — Computer Production Control and Reservoir Simulation*, (Tech. Paper) JPT July, 775

J

- Jargon, J. R., et al: *Problems in Interpretation of Pressure Fall-Off Tests in Reservoirs With and Without Fluid Banks*, (Tech. Paper) JPT Sept., 1147
- Jayaraman, N. I. and Hardy, H. R., Jr.: *Hoop-Stress Loading — A New Method of Determining the Tensile Strength of Rock*, SPEJ June, 246
- Jones, S. C.: *A Rapid Accurate Unsteady-State Klinkenberg Permeameter*, (Tech. Paper) SPEJ Oct., 383
- Finding the Most Profitable Slug Size*, (Forum) JPT Aug., 993
- Jones, S. C. and McAtee, R. W.: *A Novel Single-Well Field Test of a Micellar Solution Slug*, (Tech. Paper) JPT Nov., 1371
- Jones, W. T.: *Air Barriers as Oil-Spill Containment Devices*, (Tech. Paper) SPEJ Apr., 126

K

- Katz, D. L.: *Depths to Which Frozen Gas Fields May Be Expected — Footnotes*, (Forum) JPT May, 557
- Kazemi, H.: *Discussion on Variable Flow Rate Reservoir Limit Testing*, (Tech. Paper) JPT Dec., 1429
- Kazemi, H., et al: *Problems in Interpretation of Pressure Fall-Off Tests in Reservoirs With and Without Fluid Banks*, (Tech. Paper) JPT Sept., 1147
- Kelly, J., et al: *Sand Production Determined from Noise Measurements*, (Tech. Paper) JPT July, 803
- Kelsey, F. J. and Simon, R.: *The Use of Capillary Tube Networks in Reservoir Performance Studies: II. Effect of Heterogeneity and Mobility on Miscible Displacement Efficiency*, (Tech. Paper) SPEJ Aug., 345
- Kennedy, J. H. and McElhiney, J. E.: *Discussion on Parametric Pulsing — A New Approach to Increased Gas Field Deliverability*, (Tech. Paper) JPT Jan., 80
- Kersch, K. M. and Earlougher, R. C., Jr.: *Field Examples of Automatic Transient Test Analysis*, (Tech. Paper) JPT Oct., 1271
- Khan, A. R. and Bodle, W. W.: *Supplementing United States Gas Supplies with Imported LNG*, (Tech. Paper) JPT May, 535
- Kimbler, O. K., et al: *The Effect of Interfacial Films on the Displacement of Oil by Water in Porous Media*, SPEJ Feb., 60
- King, M. S. and Kurfurst, P. J.: *Static and Dynamic Elastic Properties of Two Sandstones at Permafrost Temperatures*, JPT Apr., 495
- Kirk, W. L.: *Deep Drilling Practices in Mississippi*, (Tech. Paper) JPT June, 633
- Kohlhaas, C. A.: *A Method for Analyzing Pressures Measured During Drillstem-Test Flow Periods*, JPT Oct., 1278
- Kowalchuk, A.: *Molecular Sieve Sweetening of Propane and Butane*, (Tech. Paper) JPT May, 540
- Kraemer, M. S.: *SPE and Professionalism*, (Art.) JPT Feb., 117
- Kuo, C. H.: *Determination of Reservoir Properties from Sinusoidal and Multirate Flow Tests in One or More Wells*, (Tech. Paper) SPEJ Dec., 499
- On the Production of Hydrogen Sulfide-Sulfur Mixtures from Deep Formations*, (Tech. Paper) JPT Sept., 1142
- Kurfurst, P. J. and King, M. S.: *Static and Dynamic Elastic Properties of Two Sandstones at Permafrost Temperatures*, JPT Apr., 495

L

- Lantz, R. B. and Dawson, R.: *Inaccessible Pore Volume in Polymer Flooding*, SPEJ Oct., 448
- Lee, B. S.: *Development of the HYGAS Process for Converting Coal to Synthetic Pipeline Gas*, (Tech. Paper) JPT Dec., 1407
- Lemon, R. F. and Patel, H. J.: *The Effect of Nuclear Stimulation on Formation Permeability and Gas Recovery at Project Gasbuggy*, (Tech. Paper) JPT Oct., 1199
- Liming, H. F., et al: *Impact of Perforation Deficiency on a Fluid Injection Project — A Case History*, (Tech. Paper) JPT Sept., 1063
- Locke, S., et al: *The Dual-Spacing Neutron Log — CNL*, (Tech. Paper) JPT Sept., 1073
- Longstaff, W. J. and Todd, M. R.: *The Development, Testing, and Application of a Numerical Simulator for Predicting Miscible Flood Performance*, JPT July, 874
- Loren, J. D.: *Permeability Estimates from NML Measurements*, (Tech. Paper) JPT Aug., 923
- Lutz, J., et al: *Instantaneous Logging Based on a Dynamic Theory of Drilling*, JPT June, 750

M

- Marek, J. A. and Finch, M. P.: *The Long-Range Planning Function as Related to Katy Field Gas Sales*, (Tech. Paper) JPT Feb., 145
- Marsden, S. S., Jr., et al: *A Novel Liquid Permeameter for Measuring Very Low Permeability*, (Tech. Paper) SPEJ June, 206

- Martin, W. L., et al: *Thermal Recovery at North Tisdale Field, Wyoming*, (Tech. Paper) JPT May, 606
- Mason, C. M. and Taylor, H. L.: *A Systematic Approach to Well Surveying Calculations*, (Tech. Paper) SPEJ Dec., 474
- Mathias, J. P.: *Determining Subsurface Stratigraphic Position by Fluid-Entry Analysis During Air Drilling*, (Forum) JPT Oct., 1222
- May, R. A. and Chase, C. A.: *Parametric Pulsing of Oil and Gas Reservoirs—An Evaluation of the Merits*, (Tech. Paper) JPT Jan., 85
- McAtee, R. W. and Jones, S. C.: *A Novel Single-Well Field Test of a Micellar Solution Slug*, (Tech. Paper) JPT Nov., 1371
- McCauley, T. V.: *Backsurging and Abrasive Perforating To Improve Perforation Performance*, (Tech. Paper) JPT Oct., 1207
- McCollough, C. N.: *Innovations in Handling and Processing Unconsolidated Cores*, (Tech. Paper) JPT Oct., 1191
- McElhiney, J. E. and Kennedy, J. H.: *Discussion on Parametric Pulsing—A New Approach to Increased Gas Field Deliverability*, (Tech. Paper) JPT Jan., 80
- McLamore, R. T. and Suman, G. O., Jr.: *Explosive Termination of a Wild Well—Evaluation of a Concept*, (Tech. Paper) JPT Sept., 1084
- McMillen, J. M. and Odeh, A. S.: *Pulse Testing: Mathematical Analysis and Experimental Verification*, SPEJ Oct., 403
- McNeely, W. E., et al: *Sand Production Determined from Noise Measurements*, (Tech. Paper) JPT July, 803
- Merrill, L. S., et al: *Problems in Interpretation of Pressure Fall-Off Tests in Reservoirs With and Without Fluid Banks*, (Tech. Paper) JPT Sept., 1147
- Miller, F. G., et al: *An Investigation by Numerical Methods of the Effect of Pressure-Dependent Rock and Fluid Properties on Well Flow Tests*, SPEJ June, 267
- Well-Test Analysis for Wells Producing Commingled Zones, JPT Jan., 27
- Miller, R. T. and Clements, R. L.: *Reservoir Engineering Techniques Used To Predict Blowout Control During Bay Marchand Fire*, (Tech. Paper) JPT Mar., 234
- Miller, S. G. and Robuck, R. D.: *The Stretford Process at East Wilmington Field*, (Tech. Paper) JPT May, 545
- Millet, J. L., et al: *Evolution of Capillarity and Relative Permeability Hysteresis*, SPEJ Feb., 28
- Milz, E. A. and Fraser, J. P.: *A Surface-Active Chemical System for Controlling and Recovering Spilled Oil from the Ocean*, (Tech. Paper) JPT Mar., 255
- Mitchell, F. R., et al: *Using Resistivity Measurements To Determine Distance Between Wells*, JPT June, 723
- Mohr, C. H. and Roberts, B. J.: *Down-Hole Motors for Improved Drilling*, (Tech. Paper) JPT Dec., 1484
- Moran, J. H., et al: *Using Resistivity Measurements To Determine Distance Between Wells*, JPT June, 723
- Morse, R. A. and Von Gonten, W. D.: *Productivity of Vertically Fractured Wells Prior to Stabilized Flow*, (Tech. Paper) JPT July, 807
- Mouser, G. F., et al: *Compressibility Effects on Transient Gas Pipe Flow*, (Tech. Paper) SPEJ Aug., 315
- Muckleroy, J. A., et al: *Instantaneous Logging Based on a Dynamic Theory of Drilling*, JPT June, 750
- Mungan, N.: *Relative Permeability Measurements Using Reservoir Fluids*, SPEJ Oct., 398
- Shear Viscosities of Ionic Polyacrylamide Solutions, (Tech. Paper) SPEJ Dec., 469
- Munger, P. R., et al: *Compressibility Effects on Transient Gas Pipe Flow*, (Tech. Paper) SPEJ Aug., 315
- Murphy, R. P. and Owens, W. W.: *A New Approach for Low-Resistivity Sand Log Analysis*, (Tech. Paper) JPT Nov., 1302
- Myrick, H. N. and Robichaux, T. J.: *Chemical Enhancement of the Biodegradation of Crude-Oil Pollutants*, (Tech. Paper) JPT Jan., 16
- Nagel, W. A., et al: *The Dual-Spacing Neutron Log—CNL*, (Tech. Paper) JPT Sept., 1073
- Nelson, R. F.: *The Bay Marchand Fire*, (Tech. Paper) JPT Mar., 225
- Newberg, P. L. and Coppel, C. P.: *Field Results of Solvent Stimulation in a Low-Gravity-Oil Reservoir*, (Tech. Paper) JPT Oct., 1213
- Newendorp, P. D.: *Bayesian Analysis—A Method for Updating Risk Estimates*, (Tech. Paper) JPT Feb., 193
- Nierode, D. E. and Williams, B. B.: *Design of Acid Fracturing Treatments*, JPT July, 849
- Nolen, J. S. and Berry, D. W.: *Tests of the Stability and Time-Step Sensitivity of Semi-Implicit Reservoir Simulation Techniques*, SPEJ June, 253
- Nordgren, R. P.: *Propagation of a Vertical Hydraulic Fracture*, SPEJ Aug., 306
- Odeh, A. S. and McMillen, J. M.: *Pulse Testing: Mathematical Analysis and Experimental Verification*, SPEJ Oct., 403
- O'Dell, P. M., et al: *Methods for Increased Accuracy in Numerical Reservoir Simulators*, SPEJ Dec., 515
- O'Neil, R. K.: *Operating Costs and Performance of Large-Volume Submersible Pumps*, (Tech. Paper) JPT Dec., 1473
- Owens, W. W. and Murphy, R. P.: *A New Approach for Low-Resistivity Sand Log Analysis*, (Tech. Paper) JPT Nov., 1302
- Owens, W. W., et al: *Laboratory Evaluation of the Wettability of Fifty Oil Producing Reservoirs*, SPEJ Dec., 531
- Owings, M. J.: *Petroleum Liquids in Energy Supply and Demand—Some Significant Influences*, (Tech. Paper) JPT May, 521
- Pacheco, E. F. and Farouq Ali, S. M.: *Wellbore Heat Losses and Pressure Drop in Steam Injection*, (Tech. Paper) JPT Feb., 139
- Parker, P. N. and Tragesser, A.: *Using Improved Technology To Obtain Better Cement Jobs on Deep, Hot Liners*, (Tech. Paper) JPT Nov., 1307
- Parsons, R. W.: *Directional Permeability Effects in Developed and Unconfined Five Spots*, JPT Apr., 487
- Patel, H. J. and Lemon, R. F.: *The Effect of Nuclear Stimulation on Formation Permeability and Gas Recovery at Project Gasbuggy*, (Tech. Paper) JPT Oct., 1199
- Patterson, M. M.: *Hindcasting Hurricane Waves in the Gulf of Mexico*, (Tech. Paper) SPEJ Aug., 321
- Pehoushek, F., et al: *Using Resistivity Measurements To Determine Distance Between Wells*, JPT June, 723
- Pennebaker, E. S.: *Locating Channels in Multiple Tubingless Wells with Routine Radioactivity Logs*, (Tech. Paper) JPT Apr., 375
- Piaseckiy, P. J., et al: *Submarine Pipeline Support by Marine Sediments*, (Tech. Paper) JPT Mar., 317
- Pinson, A. E., Jr.: *Concerning the Value of Producing Time Used in Average Pressure Determinations from Pressure Buildup Analysis*, (Forum) JPT Nov., 1369
- Conveniences in Analyzing Two-Rate Flow Tests, (Forum) JPT Sept., 1139
- Pirnie, R. M., III, et al: *A Novel Liquid Permeameter for Measuring Very Low Permeability*, (Tech. Paper) SPEJ June, 206
- Prasad, R. K.: *Development of a Modified Pressure Interference Equation*, (Forum) JPT Feb., 149
- Prats, M.: *The Influence of Oriented Arrays of Thin Impermeable Shale Lenses or of Highly Conductive Natural Fractures on Apparent Permeability Anisotropy*, (Forum) JPT Oct., 1219
- Pryor, J. A. and Volek, C. W.: *Steam Distillation Drive—Brea Field, California*, (Tech. Paper) JPT Aug., 899
- Pryor, W. A.: *Reservoir Inhomogeneities of Some Recent Sand Bodies*, SPEJ June, 229
- Quichaud, C., et al: *Instantaneous Logging Based on a Dynamic Theory of Drilling*, JPT June, 750

N

Q

R

- Raghavan, R., et al: *An Investigation by Numerical Methods of the Effect of Pressure-Dependent Rock and Fluid Properties on Well Flow Tests*, SPEJ June, 267
- Well-Test Analysis for Vertically Fractured Wells, JPT Aug., 1014
- Ramey, H. J., Jr., and Agarwal, R. G.: *Annulus Unloading Rates as Influenced by Wellbore Storage and Skin Effect*, SPEJ Oct., 453
- Ramey, H. J., Jr., et al: *Well-Test Analysis for Vertically Fractured Wells*, JPT Aug., 1014
- Well-Test Analysis for Wells Producing Commingled Zones, JPT Jan., 27
- Raulins, G. M.: *Safety by Down-Hole Well Control*, (Tech. Paper) JPT Mar., 263
- Raynal, J., et al: *Instantaneous Logging Based on a Dynamic Theory of Drilling*, JPT June, 750
- Raynaud, M., et al: *Instantaneous Logging Based on a Dynamic Theory of Drilling*, JPT June, 750
- Reed, M. G.: *Stabilization of Formation Clays with Hydroxy-Aluminum Solutions*, JPT July, 860
- Reed, R. L.: *A Monte Carlo Approach to Optimal Drilling*, SPEJ Oct., 423
- Reheis, G. M., et al: *A Nonlinear Automatic History Matching Technique for Reservoir Simulation Models*, SPEJ Dec., 508
- Remery, G. F. M. and Hermans, A. J.: *The Slow Drift Oscillations of a Moored Object in Random Seas*, (Tech. Paper) SPEJ June, 191
- Rike, J. L.: *Workover Economics — Complete but Simple*, (Tech. Paper) JPT Jan., 67
- Roberts, B. J. and Mohr, C. H.: *Down-Hole Motors for Improved Drilling*, (Tech. Paper) JPT Dec., 1484
- Roberts, S. C.: *Considerations in the Use of 796-Volt Power for Waterflood Plants*, (Tech. Paper) JPT Oct., 1196
- Robichaux, T. J. and Myrick, H. N.: *Chemical Enhancement of the Biodegradation of Crude-Oil Pollutants*, (Tech. Paper) JPT Jan., 16
- Robinson, J. D. and Vogiatzis, J. P.: *Magnetostatic Methods for Estimating Distance and Direction from a Relief Well to a Cased Wellbore*, JPT June, 741
- Robinson, J. D., et al: *Using Resistivity Measurements To Determine Distance Between Wells*, JPT June, 723
- Robuck, R. D. and Miller, S. G.: *The Stretford Process at East Wilmington Field*, (Tech. Paper) JPT May, 545

S

- Sahuquet, B. C. and Burger, J. G.: *Chemical Aspects of In-Situ Combustion — Heat of Combustion and Kinetics*, SPEJ Oct., 410
- Sanyal, S. K., et al: *A Novel Liquid Permeameter for Measuring Very Low Permeability*, (Tech. Paper) SPEJ June, 206
- Schwartz, H. E., Jr., et al: *A Case History of the Postle Area — Computer Production Control and Reservoir Simulation*, (Tech. Paper) JPT July, 775
- Scorer, J. D. T., et al: *An Investigation by Numerical Methods of the Effect of Pressure-Dependent Rock and Fluid Properties on Well Flow Tests*, SPEJ June, 267
- Seidel, W. R. and Stahl, E. J., Jr.: *Gas Well Stimulation with a Viscous Water-Base Fracturing Fluid*, (Tech. Paper) JPT Nov., 1385
- Settari, A. and Aziz, K.: *Use of Irregular Grid in Reservoir Simulation*, (Tech. Paper) SPEJ Apr., 103
- Shepard, J. C., et al: *In-Situ Combustion in a Thin Reservoir Containing High-Gravity Oil*, JPT Feb., 199
- Sherman, H., et al: *The Dual-Spacing Neutron Log — CNL*, (Tech. Paper) JPT Sept., 1073
- Shutler, N. D. and Boberg, T. C.: *A One-Dimensional, Analytical Method for Predicting Oil Recovery by Steamflooding*, (Tech. Paper) SPEJ Dec., 489
- Silbergh, M. and Brons, F.: *Profitability Analysis — Where Are We Now?*, (Tech. Paper) JPT Jan., 90
- Simandoux, P., et al: *A Numerical Study of Diphasic Multi-component Flow*, SPEJ Apr., 171
- Simon, R. and Kelsey, F. J.: *The Use of Capillary Tube Networks in Reservoir Performance Studies: II. Effect of Heterogeneity and Mobility on Miscible Displacement Efficiency*, (Tech. Paper) SPEJ Aug., 345

- Skelly, W. G., et al: *Quantitative Determination of Lignosulfonates in Drilling Fluids by Ultraviolet Absorption Analysis*, (Tech. Paper) JPT June, 651
- Skov, A. M., et al: *Impact of Perforation Deficiency on a Fluid Injection Project — A Case History*, (Tech. Paper) JPT Sept., 1063
- Slagle, K. and Carter, G.: *A Study of Completion Practices To Minimize Gas Communication*, (Tech. Paper) JPT Sept., 1170
- Sloan, R. L.: *A Graph for Determining Reserves and Spacing*, (Forum) JPT Dec., 1470
- Slotboom, R. A. and Hollabaugh, G. R.: *A Vertical Permeability Study*, (Tech. Paper) SPEJ June, 199
- Small, S. W., et al: *Submarine Pipeline Support by Marine Sediments*, (Tech. Paper) JPT Mar., 317
- Smith, J. R. and Hamby, T. W.: *Contingency Planning for Drilling and Producing High-Pressure Sour-Gas Wells*, JPT Mar., 347
- Smith, L. R. and Ballard, J. R.: *Reservoir Engineering Design of a Low-Pressure Rich Gas Miscible Slug Flood*, (Tech. Paper) JPT May, 599
- Sohns, H. W., et al: *Evaluation of an In-Situ Retorting Experiment in Green River Oil Shale*, (Tech. Paper) JPT Jan., 21
- Spriggs, D. M. and Hover, G. W.: *Field Performance of a Liquid Scale Inhibitor Squeeze Program*, (Tech. Paper) JPT July, 812
- St. Amant, L. S.: *The Petroleum Industry as It Affects Marine and Estuarine Ecology*, (Tech. Paper) JPT Apr., 385
- Stahl, E. J., Jr., and Seidel, W. R.: *Gas Well Stimulation with a Viscous Water-Base Fracturing Fluid*, (Tech. Paper) JPT Nov., 1385
- Stein, N. and Hilchie, D. W.: *Estimating the Maximum Production Rate Possible from Friable Sandstones Without Using Sand Control*, JPT Sept., 1157
- Stein, N., et al: *Sand Production Determined from Noise Measurements*, (Tech. Paper) JPT July, 803
- Stiles, L. H., et al: *Performance of Sharon Ridge Canyon Unit with Water Injection*, (Tech. Paper) JPT Apr., 431
- Stoner, M. A.: *Sensitivity Analysis Applied to a Steady-State Method of Natural Gas Transportation Systems*, (Tech. Paper) SPEJ Apr., 115
- Straughan, D.: *Factors Causing Environmental Changes After an Oil Spill*, (Tech. Paper) JPT Mar., 250
- Sullivan, J. H. and Bucaram, S. M.: *A Data Gathering and Processing System To Optimize Producing Operations*, (Tech. Paper) Feb., 185
- Suman, G. O., Jr.: *Perforations — A Prime Source of Well Performance Problems*, (Tech. Paper) JPT Apr., 399
- Suman, G. O., Jr., and McLamore, R. T.: *Explosive Termination of a Wild Well — Evaluation of a Concept*, (Tech. Paper) JPT Sept., 1084
- Summers, D. A. and Henry, R. L.: *Water Jet Cutting of Sedimentary Rock*, (Tech. Paper) JPT July, 797
- Surkalo, H. and Gogarty, W. B.: *A Field Test of Micellar Solution Flooding* JPT Sept., 1161
- Szabo, M. T.: *The Role of Gravity in Capillary Pressure Measurements*, (Tech. Paper) SPEJ Apr., 85

T

- Tamburello, R. D., et al: *Submarine Pipeline Support by Marine Sediments*, (Tech. Paper) JPT Mar., 317
- Taylor, H. L. and Mason, C. M.: *A Systematic Approach to Well Surveying Calculations*, (Tech. Paper) SPEJ Dec., 474
- Tek, M. R., et al: *Parametric Pulsing — A New Approach to Increased Gas Field Deliverability*, (Tech. Paper) JPT Jan., 73; discussion, 80
- Thakur, G. C. and Burcik, E. J.: *Reaction of Polyacrylamide with Commonly Used Additives*, (Forum) JPT Sept., 1137
- Tham, M. J., et al: *Mathematical Simulation of Polymer Flooding in Complex Reservoirs*, (Tech. Paper) SPEJ Oct., 369
- Thomas, L. K., et al: *A Nonlinear Automatic History Matching Technique for Reservoir Simulation Models*, SPEJ Dec., 508
- Thomas, R. D. and Ward, D. C.: *Effect of Overburden Pressure and Water Saturation on Gas Permeability of Tight Sandstone Cores*, (Tech. Paper) JPT Feb., 120

- Tighe, J. T. and Burke, B. G.: *A Time Series Model for Dynamic Behavior of Offshore Structures*, SPEJ Apr., 156
- Todd, M. R. and Longstaff, W. J.: *The Development, Testing, and Application of a Numerical Simulator for Predicting Miscible Flood Performance*, JPT July, 874
- Todd, M. R., et al: *Methods for Increased Accuracy in Numerical Reservoir Simulators*, SPEJ Dec., 515
- Totonji, A. H. M. and Farouq Ali, S. M.: *Solvent Flooding Displacement Efficiency in Relation to Ternary Phase Behavior*, (Tech. Paper) SPEJ Apr., 89
- Tragesser, A. and Parker, P. N.: *Using Improved Technology To Obtain Better Cement Jobs on Deep, Hot Liners*, (Tech. Paper) JPT Nov., 1307
- Traugott, M. O.: *Use of the SP Log in Waterflood Surveillance*, (Tech. Paper) JPT Feb., 151
- Treiber, L. E., et al: *Laboratory Evaluation of the Wettability of Fifty Oil Producing Reservoirs*, SPEJ Dec., 531
- Tucker, C. W., et al: *A Case History of the Postle Area — Computer Production Control and Reservoir Simulation*, (Tech. Paper) JPT July, 775
- Tynan, J. W., et al: *Thermal Recovery at North Tisdale Field, Wyoming*, (Tech. Paper) JPT May, 606

V

- van Daalen, F. and van Domselaar, H. R.: *Scaled Fluid-Flow Models with Geometry Differing from that of Prototype*, SPEJ June, 220
- Water Drive in Inhomogeneous Reservoirs — Permeability Variations Perpendicular to the Layer*, SPEJ June, 211
- van Domselaar, H. R. and van Daalen, F.: *Scaled Fluid-Flow Models with Geometry Differing from that of Prototype*, SPEJ June, 220
- Water Drive in Inhomogeneous Reservoirs — Permeability Variations Perpendicular to the Layer*, SPEJ June, 211
- Van-Quy, N., et al: *A Numerical Study of Diphasic Multi-component Flow*, SPEJ Apr., 171
- Vestal, W. A., et al: *Performance of Sharon Ridge Canyon Unit with Water Injection*, (Tech. Paper) JPT Apr., 431
- Vetter, O. J.: *An Evaluation of Scale Inhibitors*, (Tech. Paper) JPT Aug., 997
- Oilfield Chemistry — A Challenge for the Industry*, (Forum) JPT Aug., 994
- Vogiatzis, J. P. and Robinson, J. D.: *Magnetostatic Methods for Estimating Distance and Direction from a Relief Well to a Cased Wellbore*, JPT June, 741
- Vogiatzis, J. P., et al: *Using Resistivity Measurements To Determine Distance Between Wells*, JPT June, 723
- Volek, C. W. and Pryor, J. A.: *Steam Distillation Drive — Brea Field, California*, (Tech. Paper) JPT Aug., 899
- Von Gonten, W. D. and Morse, R. A.: *Productivity of Vertically Fractured Wells Prior to Stabilized Flow*, (Tech. Paper) JPT July, 807
- von Schonfeldt, H. and Fairhurst, C.: *Field Experiments on Hydraulic Fracturing*, SPEJ Feb., 69

Subject Index

A

- Absorption: ultraviolet, analysis: quantitative determination of lignosulfonates in drilling fluids, (Tech. Paper) JPT June, 651
- Acceleration: of income: appraisal of projects, (Tech. Paper) JPT Apr., 393
- Acid gases: vapor-liquid equilibrium ratios in methyl cyanoacetate, (Tech. Paper) SPEJ Aug., 283
- Acids: fracturing: design of treatments, JPT July, 849
- treatment: diverting agents history and application, (Tech. Paper) JPT May, 593
- Acoustic velocity logs: cement placement: locating in multiple tubingless wells, (Tech. Paper) JPT Apr., 375
- Acoustics: noise measurement: used to determine sand production in a well, (Tech. Paper) JPT July, 803

W

- Waid, J. B., et al: *Performance of Sharon Ridge Canyon Unit with Water Injection*, (Tech. Paper) JPT Apr., 431
- Wald, H. P.: *How Should Gas Reserves in the United States Be Compiled and Reported?*, (Tech. Paper) JPT May, 530
- Walker, G. E., Jr.: *Effect of Steepness of Regular and Irregular Waves on an Oil Containment Boom*, JPT Aug., 1007
- Walstrom, J. E., et al: *A Comparison of Various Directional Survey Models and an Approach to Model Error Analysis*, (Tech. Paper) JPT Aug., 935
- Ward, D. C. and Thomas, R. D.: *Effect of Overburden Pressure and Water Saturation on Gas Permeability of Tight Sandstone Cores*, (Tech. Paper) JPT Feb., 120
- Wayhan, D. A.: *The Effect of Operating Decisions on Peripheral Waterflood Cash Flow*, (Tech. Paper) JPT Nov., 1320
- Weaver, R. H.: *Simulation of Waterflood Behavior in a Reservoir Previously Invaded by Gas*, (Tech. Paper) JPT Aug., 909
- Weaver, R. H., et al: *Productivity of Inside Casing Gravel-Pack Completions*, (Tech. Paper) JPT Apr., 419
- Weeter, R. F.: *Conditioning of Water by Removal of Corrosive Gases*, (Tech. Paper) JPT Feb., 181
- Weinstein, H. G.: *A Semi-Analytic Method for Thermal Coupling of Reservoir and Overburden*, SPEJ Oct., 439
- Wells, R. D. and Coulter, G. R.: *The Advantages of High Proppant Concentration in Fracture Stimulation*, (Tech. Paper) JPT June, 643
- West, R. C. and Boberg, T. C.: *Correlation of Steam Stimulation Performance*, (Forum) JPT Dec., 1367
- Williams, B. B. and Nierode, D. E.: *Design of Acid Fracturing Treatment*, JPT July, 849
- Williams, B. B., et al: *Productivity of Inside Casing Gravel-Pack Completions*, (Tech. Paper) JPT Apr., 419
- Woertz, B. B.: *Vapor-Liquid Equilibrium Ratios of Acid Gases and Hydrocarbons in Methyl Cyanoacetate*, (Tech. Paper) SPEJ Aug., 283

Y

- Yarborough, L. and Fussell, D. D.: *The Effect of Phase Data on Liquids Recovery During Cycling of a Gas Condensate Reservoir*, (Tech. Paper) SPEJ Apr., 96
- Young, F. S., Jr., and Herbert, W. E.: *Estimation of Formation Pressure with Regression Models of Drilling Data*, (Tech. Paper) JPT Jan., 9

Z

- Zadow, D. W., et al: *In-Situ Combustion in a Thin Reservoir Containing High-Gravity Oil*, JPT Feb., 199
- Zeidler, H. U.: *An Experimental Analysis of the Transport of Drilled Particles*, SPEJ Feb., 39

American Gas Association: reserves: compiling and reporting proved and potential natural gas, (Tech. Paper) JPT May, 531

how should gas be compiled and reported in the U. S.?, (Tech. Paper) JPT May, 530

American Institute of Mining, Metallurgical, and Petroleum Engineers: letter and computer symbols: supplements for petroleum reservoir engineering, natural gas engineering and well logging quantities, JPT Aug., 973

Anisotropic reservoir: directional permeability effects: developed and unconfined five-spots, JPT Apr., 487

Anisotropy: apparent permeability: influence of oriented arrays of thin impermeable shale lenses or highly conductive natural fractures, (Forum) JPT Oct., 1219

Annulus: unloading rates: influenced by wellbore storage and skin effect, SPEJ Oct., 453

Appraisal: *See* Evaluation

Automation: computer production control: case history of Postle area, Oklahoma, (Tech. Paper) JPT July, 775

crude pipeline: 20-inch heated, California, (Tech. Paper) JPT Dec., 1431

surface and reservoir control: injection water, Hewitt unit waterflood, (Tech. Paper) JPT Apr., 426

B

Backsurging: and abrasive perforating to improve perforation performance, (Tech. Paper) JPT Oct., 1207

Bacteria: fermentation: chemical enhancement of biodegradation of crude-oil pollutants, (Tech. Paper) JPT Jan., 16

Balanced Tangential Method: directional survey calculations: comparison of various models and an approach to model error analysis, (Tech. Paper) JPT Aug., 935

Barge: drilling: analysis of motions in a random sea, SPEJ Dec., 541

Barriers: air: oil-spill containment devices, (Tech. Paper) SPEJ Apr., 126

shale: influence of oriented arrays of thin impermeable lenses on apparent permeability anisotropy, (Forum) JPT Oct., 1219

Bartlesville sand: *See* Oklahoma

Beaver Lodge Madison pool: *See* North Dakota

Bay Marchand Block 2 field: *See* Louisiana

Bayesian analysis: method for updating risk estimates, (Tech. Paper) JPT Feb., 193

Bayou Boeuf field: *See* Louisiana

Bentonite: fluid properties: effect on drilling rate, (Tech. Paper) JPT June, 657

Big Horn basin: *See* Wyoming

Biodegradation: crude-oil pollutants: chemical enhancement, (Tech. Paper) JPT Jan., 16

Bits: drilling: used with down-hole motors, (Tech. Paper) JPT Dec., 1484

tricone: instantaneous logging based on vibrations, JPT June, 750

Blowouts: Bay Marchand fire: reservoir engineering used to predict control, (Tech. Paper) JPT Mar., 234

explosive termination: evaluation of kill concept, (Tech. Paper) JPT Sept., 1084

magnetostatic methods for intersecting cased well in the subsurface, JPT June, 741

Piney Woods well, Mississippi: new approach in relief well drilling, JPT June, 713

using resistivity measurements: determination of distance between relief well and cased blowout wells, JPT June, 723

Boreholes: hydraulic fracturing: field experiments, SPEJ Feb., 69

Borregos field: *See* Texas

Bottom water drive: supplemental recovery development: Intisar "A" and "D" reef fields, Libyan Arab Republic, (Tech. Paper) JPT July, 785

Brea field: *See* California

Buckley-Leverett: oil recovery: methods for increased accuracy in numerical reservoir simulators, SPEJ Dec., 515

oil recovery: one-dimensional, analytical method for predicting steamflooding, (Tech. Paper) SPEJ Dec., 489

Buildup curves: *See* Pressure buildup

Butane: molecular sieve sweetening, (Tech. Paper) JPT May, 540

C

California: Brea field: steam distillation drive, (Tech. Paper) JPT Aug., 899

Dominguez field: measuring water quality and predicting well impairment, JPT July, 865

East Wilmington field: the Stretford process, (Tech. Paper) JPT May, 545

Long Beach field: environmental aspects of oil producing operations, (Tech. Paper) JPT Feb., 125

San Joaquin Valley: fully automated 20-inch heated crude pipeline, (Tech. Paper) JPT Dec., 1431

Santa Barbara channel: factors causing environmental changes after an oil spill, (Tech. Paper) JPT May, 250

Santa Maria basin: solvent stimulation; field results in low-gravity-oil reservoir, (Tech. Paper) JPT Oct., 1213

Wilmington field: environmental aspects of oil producing operations, (Tech. Paper) JPT Feb., 125

Canada: Nevis and Pincher Creek gas plants: molecular sieve sweetening of propane and butane, (Tech. Paper) JPT May, 540

Pembina field: practical approach to defining reservoir heterogeneity, (Tech. Paper) JPT July, 841

Rainbow field: vertical permeability study, (Tech. Paper) SPEJ June, 199

Capacity: fracture flow: advantages of high proppant concentration in stimulation, (Tech. Paper) JPT June, 643

Capillarity: evolution of, SPEJ Feb., 28

Capillary flow: tube networks: reservoir performance studies; discussion of, (Tech. Paper) SPEJ Aug., 352

reservoir performance studies of effect of heterogeneity and mobility on miscible displacement efficiency, (Tech. Paper) SPEJ Aug., 345

Capillary pressure: measurements: role of gravity, (Tech. Paper) SPEJ Apr., 85

Carbon dioxide: removal: conditioning of water, (Tech. Paper) JPT Feb., 181

vapor-liquid equilibrium ratios of acid gases and hydrocarbons in methyl cyanoacetate, (Tech. Paper) SPEJ Aug., 283

slug: and waterflood, prediction of recovery, (Tech. Paper) SPEJ Apr., 143

Carbonate reservoirs: *See* Carbonate rocks

Carbonate rocks: *See also* Dolomite and Limestone

Case histories: *See* Field case history

Cased hole: porosity determination and gas detection: dual-spacing neutron log, CNL, (Tech. Paper) JPT Sept., 1073

Cash flow: peripheral waterflood: effect of operating decisions, (Tech. Paper) JPT Nov., 1320

Casing: inside gravel pack completions: productivity of, (Tech. Paper) JPT Apr., 419

liners: using improved technology to obtain better cement jobs on deep, hot wells, (Tech. Paper) JPT Nov., 1307

remanent magnetization following inspection, JPT June, 741

Cathodic protection: influence of environment, (Tech. Paper) JPT Mar., 323

Caverns: salt: natural gas storage in Eminence Dome, Mississippi, (Tech. Paper) JPT Nov., 1299

Cement: completion practices: study to minimize gas communications, (Tech. Paper) JPT Sept., 1170

primary: detection of channels in multiple tubingless wells with routine radioactivity logs, (Tech. Paper) JPT Apr., 375

Cementing: deep, hot liners: using improved technology to obtain better cement jobs, (Tech. Paper) JPT Nov., 1307

heavy slurry: new approach in relief well drilling, JPT June, 713

Centrifuge: method for obtaining capillary pressure curves, (Tech. Paper) SPEJ Apr., 85

Channeling: cement: locating in multiple tubingless wells with routine radioactivity logs, (Tech. Paper) JPT Apr., 375

pilot tertiary recovery test: El Dorado steam drive, (Tech. Paper) JPT Nov., 1377

- Chemicals: dispersing agents: chemical enhancement of biodegradation of crude-oil pollutants, (Tech. Paper) JPT Jan., 16
- liquid scale inhibitor: field performance of squeeze program, (Tech. Paper) JPT July, 812
- surface active: system for controlling and recovering spilled oil from the ocean, (Tech. Paper) JPT Mar., 255
- Chemistry: oil field: challenge for the industry, (Forum) JPT Aug., 994
- Clays: permeability damage prevention: stabilization of formation with hydroxy-aluminum solutions, JPT July, 860
- Coal: converting to synthetic pipeline gas: development of HYGAS process, (Tech. Paper) JPT Dec., 1407
- Colorado: Adena field: propane-gas-water miscible floods in watered-out areas, (Tech. Paper) JPT Oct., 1264
- Douglas Creek Arch: determining subsurface stratigraphic position by fluid-entry analysis during air drilling, (Forum) JPT Oct., 1222
- oil shale: impending energy source, (Tech. Paper) JPT Nov., 1325
- Combustion: *See also* Underground combustion
- heat of: chemical aspects of in-situ combustion, SPEJ Oct., 410
- Commingle zones: well test analysis for producing wells, JPT Jan., 27
- Communication: gas: study of completion practices to minimize, (Tech. Paper) JPT Sept., 1170
- Completion: *See* Well completion
- Completion practice: *See* Well completion
- Composite reservoir: pressure behavior: problems in interpretation, (Tech. Paper) JPT Sept., 1147
- Compressibility: effects on transient gas pipe flow, (Tech. Paper) SPEJ Aug., 315
- rock: effect on well flow tests; investigation by numerical methods, SPEJ June, 267
- Computers: algorithm: parametric pulsing of gas field to increase deliverability, (Tech. Paper) JPT Jan., 73; discussion, 80
- calculations: systematic approach in well surveying, (Tech. Paper) SPEJ Dec., 474
- directional survey models: comparison of various types and an approach to error analysis, (Tech. Paper) JPT Aug., 935
- dynamic positioning: *Terebel* system; results of six years of field work and experiments, (Tech. Paper) JPT Mar., 329
- efficiency: method for increased accuracy in numerical reservoir simulators, SPEJ Dec., 515
- method: field examples of automatic transient test analysis, (Tech. Paper) JPT Oct., 1271
- model: directional permeability effects in developed and unconfined five-spots, JPT Apr., 487
- production control: case history of Postle area, Oklahoma, (Tech. Paper) JPT July, 775
- program: dynamic behavior of offshore structures: time series model, SPEJ Apr., 156
- evaluation of in-situ combustion in thin reservoir containing high-gravity oil, JPT Feb., 199
- evaluation of the explosive termination of a wild well, (Tech. Paper) JPT Sept., 1084
- ISAM (integrated system analysis model); constrained derivatives in natural gas pipeline system optimization, (Tech. Paper) JPT May, 549
- Monte Carlo approach to optimal drilling, SPEJ Oct., 423
- system: data gathering and processing to optimize producing operations, (Tech. Paper) JPT Feb., 185
- techniques: compressibility effects on transient gas pipe flow, (Tech. Paper) SPEJ Aug., 315
- Concentration: high proppant: advantages in fracture stimulation, (Tech. Paper) JPT June, 643
- Condensates: liquids recovery during cycling of reservoir: effect of phase data, (Tech. Paper) SPEJ Apr., 96
- Mobil-David field, Texas: abnormally pressured gas reservoir, (Tech. Paper) JPT Feb., 132
- Conductivity: natural fractures: influence on apparent permeability anisotropy, (Forum) JPT Oct., 1219
- Contamination: oil-spill containment devices: air barriers, (Tech. Paper) SPEJ Apr., 126
- Controls: blowout: reservoir engineering techniques used to predict; Bay Marchand fire, (Tech. Paper) JPT Mar., 234
- corrosion: influence of environment, (Tech. Paper) JPT Mar., 323
- environmental: oil producing operations, Long Beach, California, (Tech. Paper) JPT Feb., 125
- oil spill: ocean: surface-active chemical system, (Tech. Paper) JPT Mar., 255
- pollution: aspects of Bay Marchand fire, (Tech. Paper) JPT Mar., 241
- surface and reservoir: injection water in Hewitt unit waterflood, (Tech. Paper) JPT Apr., 426
- well: safety valves down hole, (Tech. Paper) JPT Mar., 263
- wild well: evaluation of explosive kill concept, (Tech. Paper) JPT Sept., 1084
- Convection: wellbore heat losses: steam injection, (Tech. Paper) JPT Feb., 139
- Core analysis: reinterpretation: uncertainty of oil in place in unconsolidated sand reservoirs, (Tech. Paper) JPT Nov., 1315
- vertical permeability study, (Tech. Paper) SPEJ June, 199
- Cores: for oil displacement: field test of micellar solution flooding, JPT Sept., 1161
- fresh: relative permeability measurements using reservoir fluids, SPEJ Oct., 398
- pulse testing: experimental verification, SPEJ Oct., 403
- slip and turbulence factor vs permeability: unsteady-state Klinkenberg permeameter, (Tech. Paper) SPEJ Oct., 383
- tight sandstone: effect of overburden pressure and water saturation on gas permeability, (Tech. Paper) JPT Feb., 120
- unconsolidated: innovations in handling and processing, (Tech. Paper) JPT Oct., 1191
- Coring: Bartlesville sand: oil saturation measurements after waterflooding and after propane flooding, (Tech. Paper) JPT Dec., 1411
- Green River oil shale, Wyoming: evaluation of in-situ retorting experiment, (Tech. Paper) JPT Jan., 21
- Correlation: empirical: low-resistivity sand log, (Tech. Paper) JPT Nov., 1302
- solubility of gaseous hydrocarbon mixtures in water, SPEJ Feb., 21
- neutron depth logs: locating channels in multiple tubingless wells, (Tech. Paper) JPT Apr., 375
- oil recovery: prediction in unstable miscible flooding, (Tech. Paper) SPEJ Apr., 143
- settling velocity and recovery fraction of drilled particles: experimental analysis, SPEJ Feb., 39
- steam stimulation performance, (Forum) JPT Dec., 1367
- surfactant flood residuals: relationship between pore structure and residual oil saturation, (Tech. Paper) SPEJ Aug., 289
- Corrosion: control: conditioning of water by removal of gases, (Tech. Paper) JPT Feb., 181
- influence of environment, (Tech. Paper) JPT Mar., 323
- Costs: low: simple method for determining productivity index of high GOR pumping wells, (Tech. Paper) JPT Dec., 1417
- operating: large-volume submersible pumps, (Tech. Paper) JPT Dec., 1473
- Coupling: thermal: reservoir and overburden; semi-analytic method, SPEJ Oct., 439
- Crossflow: vertical permeability study, (Tech. Paper) SPEJ June, 199
- Crude oil: energy supply and demand: some significant influences, (Tech. Paper) JPT May, 521
- pipeline: fully automated, 20-inch heated line in California, (Tech. Paper) JPT Dec., 1431
- pollutants: chemical enhancement of biodegradation, (Tech. Paper) JPT Jan., 16
- Cuttings: experimental analysis of the transport, SPEJ Feb., 39
- Cycling: *See also* Gas cycling
- gas condensate reservoir: effect of phase data on liquids recovery, (Tech. Paper) SPEJ Apr., 96

D

- Data: drilling: estimation of formation pressure with regression models, (Tech. Paper) JPT Jan., 9
- gathering: and processing system to optimize producing operations, (Tech. Paper) JPT Feb., 185
- phase: effect on liquids recovery during cycling of gas condensate reservoir, (Tech. Paper) SPEJ Apr., 96
- pressure buildup: single-point; comparing with reservoir simulator results, (Forum) JPT June, 711
- Decision making: profitability analysis: where are we now?, (Tech. Paper) JPT Jan., 90

- risk estimates: Bayesian analysis method for updating, (Tech. Paper) JPT Feb., 193
- Decline curves: graphical analysis, (Forum) JPT Jan., 38
- Deformation: elastic/plastic media: under hydrostatic stress; mechanical behavior of uncased wellbores, SPEJ Feb., 49
- Delaware basin: *See* Texas
- Delhi field: *See* Louisiana
- Deliverability: natural gas: increased by parametric pulsing, (Tech. Paper) JPT Jan., 73; discussion, 80
- supplementing U. S. supplies with imported LNG, (Tech. Paper) JPT May, 535
- Density logs: locating channels in multiple tubingless wells, (Tech. Paper) JPT Apr., 375
- Denver basin: peripheral waterflood: effect of operating decisions on cash flow, (Tech. Paper) JPT Nov., 1320
- Depletion: plan: Katy gas field; long-range planning function as related to sales, (Tech. Paper) JPT Feb., 145
- Design: acid fracturing treatments, JPT July, 849
- pipeline: constrained derivatives in natural gas system optimization, (Tech. Paper) JPT May, 549
- reservoir engineering: low-pressure rich gas miscible slug flood, (Tech. Paper) JPT May, 599
- Development: HYGAS process: converting coal to synthetic pipeline gas, (Tech. Paper) JPT Dec., 1407
- modified pressure interference equation, (Forum) JPT Feb., 149
- numerical simulator: for predicting miscible flood performance, JPT July, 874
- oil shale: an impending energy source, (Tech. Paper) JPT Nov., 1325
- supplementary recovery: Intisar "A" and "D" reef fields, Libyan Arab Republic, (Tech. Paper) JPT July, 785
- Diamond: bits: design for use with down-hole motors, (Tech. Paper) JPT Dec., 1484
- Differential pressure: laboratory flow characteristics: gun perforations, (Tech. Paper) JPT Sept., 1095
- Dimensionless groups: numerical solution: propagation of a vertical hydraulic fracture, JPT Aug., 306
- Directional surveys: models: comparison of various types and an approach to error analysis, (Tech. Paper) JPT Aug., 935
- well calculations: systematic approach, (Tech. Paper) SPEJ Dec., 474
- Directional wells: magnetostatic methods: estimating distance and direction from a relief well to a cased wellbore, JPT June, 741
- relief well drilling: new approach, JPT June, 713
- resistivity measurements used to determine distance between wells, JPT June, 723
- Discounted cash flow: income acceleration projects, (Tech. Paper) JPT Apr., 393
- profitability analysis: where are we now?, (Tech. Paper) JPT Jan., 90
- Dispersants: enhancement of biodegradation of crude-oil pollutants, (Tech. Paper) JPT Jan., 16
- Displacement: *See also* various types such as LPG injection, Miscible displacement, Thermal recovery of oil, and Waterflooding
- Displacement efficiency: micellar solution slug: novel single-well field test, (Tech. Paper) JPT Nov., 1371
- miscible: effect of heterogeneity and mobility, (Tech. Paper) SPEJ Aug., 345
- reservoir performance studies: discussion of use of capillary tube networks, (Tech. Paper) SPEJ Aug., 352
- solvent flooding: relationship to ternary phase behavior, (Tech. Paper) SPEJ Apr., 89
- Displacement mechanism: oil by water: porous media; effect of interfacial films, SPEJ Feb., 60
- scaled fluid-flow models with geometry differing from that of prototype, SPEJ June, 220
- Dissolved-gas drive: *See* Solution-gas drive
- Distribution: pressure and flow: through gun perforations, (Tech. Paper) JPT Sept., 1095
- Diverting agents: history and application, (Tech. Paper) JPT May, 593
- Dominguez field: *See* California
- Douglas Creek Arch: *See* Colorado
- Drainage: volume: concerning value of producing time used in average pressure determinations from pressure buildup analysis, (Forum) JPT Nov., 1367
- Drill bit: *See* Bits and Drilling: bits
- Drilling: *See also* Offshore drilling
- air: determining subsurface stratigraphic position by fluid-entry analysis, (Forum) JPT Oct., 1222
- barge: analysis of motions in a random sea, SPEJ Dec., 541
- data: balanced pressure; estimation with regression models, (Tech. Paper) JPT Jan., 9
- directional: magnetostatic methods for estimating distance and direction from a relief well to a cased wellbore, JPT June, 741
- survey models; comparison of various types and an approach to error analysis, (Tech. Paper) JPT Aug., 935
- down-hole motors: improved method, (Tech. Paper) JPT Dec., 1484
- dynamic theory: instantaneous logging based on, JPT June, 750
- experimental analysis: transport of particles, SPEJ Feb., 39
- high-pressure sour-gas wells: contingency planning, JPT Mar., 347
- marine riser: effective tool for monitoring, (Tech. Paper) JPT Mar., 337
- mechanical behavior: uncased wellbores situated in elastic/plastic media under hydrostatic stress, SPEJ Feb., 49
- Mississippi: deep practices, (Tech. Paper) JPT June, 633
- optimal: Monte Carlo approach, SPEJ Oct., 423
- petroleum industry as it affects marine and estuarine ecology, (Tech. Paper) JPT Apr., 385
- relief wells: determination of distance between open and cased wells utilizing resistivity measurements, JPT June, 723
- new approach, JPT June, 713
- technology: abnormally pressured gas reservoir in South Texas, (Tech. Paper) JPT Feb., 132
- Terebel* dynamic positioning system: results of six years of field work and experiments, (Tech. Paper) JPT Mar., 329
- water jet cutting: sedimentary rocks, (Tech. Paper) JPT July, 797
- well surveying: systematic approach to calculations, (Tech. Paper) SPEJ Dec., 474
- Drilling fluids: lignosulfonates: quantitative determination by ultraviolet absorption analysis, (Tech. Paper) JPT June, 651
- mud solids: analytical approach to removing, (Tech. Paper) JPT June, 663
- polymer-polyelectrolyte systems, (Tech. Paper) JPT Oct., 1255
- Drilling rate: effect of bentonitic fluid properties, (Tech. Paper) JPT June, 657
- Drillstem testing: method for analyzing pressures measured during flow periods, JPT Oct., 1278

E

- Earthquakes: time series model: dynamic behavior of offshore structures, SPEJ Apr., 156
- East Wilmington field: *See* California
- Ecology: estuarine: effect of petroleum industry, (Tech. Paper) JPT Apr., 385
- Economics: decisions: data gathering and processing system to optimize producing operations, (Tech. Paper) JPT Feb., 185
- down-hole motors for improved drilling method, (Tech. Paper) JPT Dec., 1484
- dynamic positioning by *Terebel* system: results of six years of field work and experiments, (Tech. Paper) JPT Mar., 329
- gas well liquids removal: practical approach, (Tech. Paper) JPT Aug., 916
- income acceleration projects: appraisal, (Tech. Paper) JPT Apr., 393
- in-situ combustion field tests: current appraisal, (Tech. Paper) JPT Apr., 477
- LNG imports: supplementing U. S. gas supplies, (Tech. Paper) JPT May, 535
- micellar solution flooding: field test, JPT Sept., 1161
- profitability analysis: where are we now?, (Tech. Paper) JPT Jan., 90
- risk estimates: Bayesian analysis method for updating, (Tech. Paper) JPT Feb., 193
- slug process: finding the most profitable slug size, (Forum) JPT Aug., 993
- Stretford plant: East Wilmington field, California, (Tech. Paper) JPT May, 545
- thermal recovery: North Tisdale field, Wyoming, (Tech. Paper) JPT May, 606
- workovers, (Tech. Paper) JPT Jan., 67

El Dorado field: *See* Kansas
 Elasticity: static and dynamic: properties of two sandstones at permafrost temperatures, (Tech. Paper) JPT Apr., 495
 Electric logging: *See* Well logging
 Electricity: 796-volt: considerations in using for waterflood plants, (Tech. Paper) JPT Oct., 1196
 Eminence Dome: *See* Mississippi
 Emulsions: used to divert acid treatments, (Tech. Paper) JPT May, 593
 Energy: balance: semi-analytic method of handling in the overburden, SPEJ Oct., 439
 oil shale an impending source, (Tech. Paper) JPT Nov., 1325
 supply and demand: petroleum liquids, some significant influences, (Tech. Paper) JPT May, 521
 Engineers: SPE and professionalism: views from the top, (Art.) JPT Feb., 117
 England: *Torrey Canyon* oil spill: factors causing environmental changes, (Tech. Paper) JPT Mar., 250
 Environment: aspects: oil producing operations, Long Beach, California, (Tech. Paper) JPT Feb., 125
 factors causing changes after an oil spill, (Tech. Paper) JPT Mar., 250
 help wanted by petroleum engineers, (Forum) JPT Apr., 438
 influence on corrosion and cathodic protection, (Tech. Paper) JPT Mar., 323
 pollution control: aspects of Bay Marchand fire, (Tech. Paper) JPT Mar., 241
 Equilibrium ratios: phase data: effect on liquids recovery during cycling of gas condensate reservoir, (Tech. Paper) SPEJ Apr., 96
 sensitivity study of reservoir performance using a compositional reservoir simulator, (Tech. Paper) SPEJ Feb., 3
 vapor-liquid: of acid gases and hydrocarbons in methyl cyanoacetate, (Tech. Paper) SPEJ Aug., 283
 vapor-solid: predicting depths to which frozen gas fields may be expected, (Forum) JPT May, 557
 Equipment: *See also* names of various types
 casing liners: using improved technology to obtain better cement jobs on deep, hot wells, (Tech. Paper) JPT Nov., 1307
 crude pipeline: fully automated, 20-inch heated line in California, (Tech. Paper) JPT Dec., 1431
 down-hole motors: improved drilling method, (Tech. Paper) JPT Dec., 1484
 dual spacing neutron log: CNL, (Tech. Paper) JPT Sept., 1073
 for handling and processing unconsolidated cores, (Tech. Paper) JPT Oct., 1191
 liquid diverters and gas lift: practical approach to removing gas well liquids, (Tech. Paper) JPT Aug., 916
 liquid permeameter: measuring very low permeability, (Tech. Paper) SPEJ June, 206
 marine risers: effective tool for monitoring, (Tech. Paper) JPT Mar., 337
 offshore structures: time series model for dynamic behavior, SPEJ Apr., 156
 oil containment boom: effect of steepness of regular and irregular waves, JPT Aug., 1007
 oil-spill containment: air barriers, (Tech. Paper) SPEJ Apr., 126
 performance report: system to optimize producing operations, (Tech. Paper) JPT Feb., 185
 permeameter: rapid accurate unsteady-state Klinkenberg type, (Tech. Paper) SPEJ Oct., 383
 pumps: operating costs and performance of large-volume submersible types, (Tech. Paper) JPT Dec., 1473
 safety valves: down-hole well control, (Tech. Paper) JPT Mar., 263
 skimmer: pollution control aspects of Bay Marchand fire, (Tech. Paper) JPT Mar., 241
 solids removal: evaluating efficiency in circulating systems, (Tech. Paper) JPT June, 663
 surface and reservoir control: injection water, Hewitt unit waterflood, (Tech. Paper) JPT Apr., 426
 tubular goods: deep drilling practices in Mississippi, (Tech. Paper) JPT June, 633
 waterflood plants: considerations in use of 796-volt power, (Tech. Paper) JPT Oct., 1196
 Evaluations: *See also* Field case histories, Field tests, Formation evaluation, Laboratory studies, and Performance predictions
 explosive termination of a wild well, (Tech. Paper) JPT Sept., 1084

hurricane waves: hindcasting in Gulf of Mexico, (Tech. Paper) SPEJ Aug., 321
 income acceleration projects, (Tech. Paper) JPT Apr., 385
 in-situ combustion field tests, (Tech. Paper) JPT Apr., 477
 in-situ retorting experiment: Green River oil shale, (Tech. Paper) JPT Jan., 21
 nuclear stimulation: effect on formation permeability and gas recovery, (Tech. Paper) JPT Oct., 1199
 parametric pulsing of oil and gas reservoirs, (Tech. Paper) JPT Jan., 85
 reservoir heterogeneity: practical approach to defining, (Tech. Paper) JPT July, 841
 reservoir properties: from sinusoidal and multirate flow tests in one or more wells, (Tech. Paper) SPEJ Dec., 499
 scale inhibitors, (Tech. Paper) JPT Aug., 997
 single-point buildup data: compared with reservoir simulator results, (Forum) JPT June, 711
 water jet cutting: sedimentary rock, (Tech. Paper) JPT July, 797
 wettability: laboratory study of 50 oil producing reservoirs, SPEJ Dec., 531
 Explosive: wild well termination: evaluation of concept, (Tech. Paper) JPT Sept., 1084

F

Federal Power Commission: reserves: compiling and reporting proved and potential natural gas, (Tech. Paper) JPT May, 531
 how should gas be compiled and reported in the U.S., (Tech. Paper) JPT May, 530
 Field case history: *See also* Field tests
 Adena field, Colorado: propane-gas-water miscible floods in watered-out areas, (Tech. Paper) JPT Oct., 1264
 Bay Marchand Block 2 field: reservoir engineering techniques used to predict blowout control; Bay Marchand fire, (Tech. Paper) JPT Mar., 234
 Delhi field, Louisiana: in-situ combustion in thin reservoir containing high-gravity oil, JPT Feb., 199
 Foster field, Texas: field performance of a liquid scale inhibitor squeeze program, (Tech. Paper) JPT July, 812
 fracture stimulation: advantages of high proppant concentration, (Tech. Paper) JPT June, 643
 Intisar "A" and "D" reef fields, Libyan Arab Republic: supplemental recovery development, (Tech. Paper) JPT July, 785
 Mobil-David field, Texas: abnormally pressured gas reservoir, (Tech. Paper) JPT Feb., 132
 North Tisdale field, Wyoming: thermal recovery, (Tech. Paper) JPT May, 606
 perforation deficiency: impact on a fluid injection project, (Tech. Paper) JPT Sept., 1063
 Postle area, Oklahoma: computer production control and reservoir simulation, (Tech. Paper) JPT July, 775
 S. E. Pauls Valley field, Oklahoma: uncertainty of oil in place in unconsolidated sand reservoirs, (Tech. Paper) JPT Nov., 1315
 Field tests: *See also* Evaluation
 automatic transient test analysis, (Tech. Paper) JPT Oct., 1271
 cementing: using improved technology to obtain better jobs on deep, hot liners, (Tech. Paper) JPT Nov., 1307
 channels, cement: locating in multiple tubingless wells with routine radioactivity logs, (Tech. Paper) JPT Apr., 375
 correlation: steam stimulation performance, (Forum) JPT Nov., 1367
 directional survey models: comparison of various types and an approach to model error analysis, (Tech. Paper) JPT Aug., 935
 formation clays: stabilization with hydroxy-aluminum solutions, JPT July, 860
 gas well stimulation: with viscous water-base fracturing fluid, (Tech. Paper) JPT Nov., 1385
 Green River oil shale, Wyoming: evaluation of in-situ retorting experiment, (Tech. Paper) JPT Jan., 21
 hydraulic fracturing, SPEJ Feb., 69
 in-situ combustion: current appraisal, (Tech. Paper) JPT Apr., 477
 instantaneous logging: based on dynamic theory of drilling, JPT June, 750
 magnetostatic methods: estimating distance and direction from a relief well to a cased wellbore, JPT June, 741

- marine risers: effective tool for monitoring, (Tech. Paper) JPT Mar., 337
- micellar solution flooding, JPT Sept., 1161
- micellar solution slug: novel single-well application, (Tech. Paper) JPT Nov., 1371
- mud solids removal: analytical approach, (Tech. Paper) JPT June, 663
- parametric pulsing: new approach to increased gas field deliverability, (Tech. Paper) JPT Jan., 73; discussion, 80
- perforations: prime source of well performance problems, (Tech. Paper) JPT Apr., 399
- polymer-polyelectrolyte drilling fluid systems, (Tech. Paper) JPT Oct., 1255
- production rate: estimating maximum possible from friable sandstones without using sand control, JPT Sept., 1157
- productivity: inside casing gravel-pack completions, (Tech. Paper) JPT Apr., 419
- propane-gas-water miscible floods: watered-out areas; Adena field, Colorado, (Tech. Paper) JPT Oct., 1264
- reservoir simulation models: nonlinear automatic history matching technique, SPEJ Dec., 508
- resistivity measurements: using to determine distance between wells, JPT June, 723
- sand production: determined from noise measurements, (Tech. Paper) JPT July, 803
- solvent stimulation: low-gravity-oil reservoir, (Tech. Paper) JPT Oct., 1213
- steam distillation drive: Brea field, California, (Tech. Paper) JPT Aug., 899
- surface-active chemical system: controlling and recovering spilled oil from the ocean, (Tech. Paper) JPT Mar., 255
- Terebel* dynamic positioning system — results of six years of field work and experiments, (Tech. Paper) JPT Mar., 329
- ultraviolet absorption analysis: quantitative determination of lignosulfonates in drilling fluids, (Tech. Paper) JPT June, 651
- water quality measurements: and well impairment predictions, JPT July, 865
- Fields: *See* specific names
- Films: interfacial: effect on displacement of oil by water in porous media, SPEJ Feb., 60
- Filtration: bentonitic fluid: effect on drilling rate, (Tech. Paper) JPT June, 657
- Financing: *See* Economics and Investments
- Fingering: between the water and polymer: mathematical simulation of polymer flooding, (Tech. Paper) SPEJ Oct., 369
- reservoir performance studies: use of capillary tube networks, (Tech. Paper) SPEJ Aug., 352
- Finite difference method: irregular spacing of grid: reservoir simulation, (Tech. Paper) SPEJ Apr., 103
- transient gas pipe flow: compressibility effects, (Tech. Paper) SPEJ Aug., 315
- Fire fighting: Bay Marchand fire, (Tech. Paper) JPT Mar., 225 and 234
- Floating vessels: random sea: analysis of motion, SPEJ Dec., 541
- Fluid flow: *See also* specific applications, such as Miscible displacement, Solvent flooding, and Waterflooding
- diphasic multicomponent: numerical study, SPEJ Apr., 171
- drillstem-test flow periods: method for analyzing pressures measured, JPT Oct., 1278
- evolution of capillarity and relative permeability hysteresis, SPEJ Feb., 28
- fluid-entry analysis: determining subsurface stratigraphic position during air drilling, (Forum) JPT Oct., 1222
- immiscible liquids: simultaneous flow through porous fissured media, (Tech. Paper) SPEJ Aug., 297
- isothermal: compositional reservoir simulator; sensitivity study of reservoir performance, (Tech. Paper) SPEJ Feb., 3
- model: practical approach to defining reservoir heterogeneity, (Tech. Paper) JPT July, 841
- oil recovery by steamflooding: one-dimensional, analytical method for predicting, (Tech. Paper) SPEJ Dec., 489
- pressure buildup analysis: concerning value of producing time used in average pressure determinations, (Forum) JPT Nov., 1367
- productivity prior to stabilization: vertically fractured wells, (Tech. Paper) JPT July, 807
- propagation of a vertical hydraulic fracture, SPEJ Aug., 306
- scaled models with geometry differing from that of prototype, SPEJ June, 220
- sinusoidal and multirate flow tests: one or more wells; determination of reservoir properties, (Tech. Paper) SPEJ Dec., 499
- skin effect: influence on annulus unloading rates, SPEJ Oct., 453
- through gun perforations: laboratory flow characteristics, (Tech. Paper) JPT Sept., 1095
- two-rate flow tests: conveniences in analyzing, (Forum) JPT Sept., 1139
- variable flow rate reservoir limit testing, (Tech. Paper) JPT Dec., 1423; discussion, 1429
- waterflood: use of SP log in surveillance, (Tech. Paper) JPT Feb., 151
- well flow tests: effect of pressure-dependent rock and fluid properties; investigation by numerical methods, SPEJ June, 267
- Fluid injection: *See* Miscible displacement, Solvent flooding, Thermal recovery of oil, and Waterflooding
- Fluid properties: *See also* the specific property
- for sensitivity study of reservoir performance using a compositional reservoir simulator, (Tech. Paper) SPEJ Feb., 3
- Forecasts: energy supply and demand: petroleum liquids, some significant influences, (Tech. Paper) JPT May, 521
- natural gas: supplementing U.S. gas supplies with imported LNG, (Tech. Paper) JPT May, 535
- Formation evaluation: *See also* Core analysis, Pressure buildup, and Well logging
- annulus unloading and storage; effect on behavior of early pressure data taken during a well test, SPEJ Oct., 453
- drillstem test: method for analyzing pressures measured during flow periods, JPT Oct., 1278
- permeability: estimates from NML measurements, (Tech. Paper) JPT Aug., 923
- porosity: dual-spacing neutron log, CNL, (Tech. Paper) JPT Sept., 1073
- vertical permeability study, (Tech. Paper) SPEJ June, 199
- Formation fractures: natural, highly conductive: influence on apparent permeability anisotropy, (Forum) JPT Oct., 1219
- stimulation: advantages of high proppant concentration, (Tech. Paper) JPT June, 643
- vertical: hydraulic; propagation of, SPEJ Aug., 306
- well-test analysis, JPT Aug., 1014
- Formation fracturing: acid treatments: design, JPT July, 849
- hydraulic: field experiments, SPEJ Feb., 69
- vertical: impact of perforation deficiency on a fluid injection project, (Tech. Paper) JPT Sept., 1063
- productivity of wells prior to stabilized flow, (Tech. Paper) JPT July, 807
- water-base fracturing fluid: gas well stimulation with viscous type, (Tech. Paper) JPT Nov., 1385
- Foster field: *See* Texas
- Fractured reservoirs or Fracturing: *See* Formation fractures and Formation fracturing
- Fractures: *See also* Formation fractures
- Fracturing fluid: water-base, viscous: gas well stimulation, (Tech. Paper) JPT Nov., 1385
- Fuels: petroleum liquids: energy supply and demand, some significant influences, (Tech. Paper) JPT May, 521
- Functions: penalty: optimization of a cyclic steam injection process, (Tech. Paper) SPEJ Feb., 13

G

- Gas: flooded: simulation of waterflood behavior in reservoir previously invaded, (Tech. Paper) JPT Aug., 909
- Gas condensate: *See* Condensate
- Gas coning: semi-implicit reservoir simulation techniques: tests of the stability and time-step sensitivity, SPEJ June, 253
- Gas cycling: *See also* Cycling
- sensitivity study of reservoir performance using a compositional reservoir simulator, (Tech. Paper) SPEJ Feb., 3
- Gas drive: diphasic multicomponent flow: numerical study, SPEJ Apr., 171

Gas fields: deliverability: increased by parametric pulsing, (Tech. Paper) JPT Jan., 73; discussion, 80
 frozen: depths to which may be expected, (Forum) JPT May, 557
 Gas-oil ratio: high: pumping wells; simple low cost method for determining productivity index, (Tech. Paper) JPT Dec., 1417
 Gas percolation: semi-implicit reservoir simulation techniques: tests of the stability and time-step sensitivity, SPEJ June, 253
 Gas recovery: nuclear stimulation: effect at Project Gasbuggy, (Tech. Paper) JPT Oct., 1199
 Gas reservoirs: abnormally pressured: South Texas, (Tech. Paper) JPT Feb., 132
 Katy field: long-range planning function as related to gas sales, (Tech. Paper) JPT Feb., 145
 parametric pulsing: evaluation of merits, (Tech. Paper) JPT Jan., 85
 Gas wells: completion practices: study to minimize gas communications, (Tech. Paper) JPT Sept., 1170
 liquids: practical approach to removing, (Tech. Paper) JPT Aug., 916
 sour: high pressure; contingency planning for drilling and producing, JPT Mar., 347
 stimulation: with viscous water-base fracturing fluid, (Tech. Paper) JPT Nov., 1385
 Gasbuggy: nuclear stimulation project: effect on formation permeability and gas recovery, (Tech. Paper) JPT Oct., 1199
 Gases: *See also* Natural gas
 compressibility: effects on transient gas pipe flow, (Tech. Paper) SPEJ Aug., 315
 corrosive: removal from water, (Tech. Paper) JPT Feb., 181
 solubility: hydrocarbon mixtures in water, SPEJ Feb., 21
 Government: United States: how should gas reserves be compiled and reported?, (Tech. Paper) JPT May, 530
 Graphical analysis: annulus unloading rate: influence of wellbore storage and skin effect, SPEJ Oct., 453
 decline curves, (Forum) JPT Jan., 38
 oil recovery: predicting one-dimensional steamflooding, (Tech. Paper) SPEJ Dec., 489
 reserve determination, (Forum) JPT Dec., 1470
 two-rate flow tests, (Forum) JPT Sept., 1139
 well test: vertically fractured wells, JPT Aug., 1014
 Gravel packing: productivity of inside casing completions, (Tech. Paper) JPT Apr., 419
 Gravity: low: field results of solvent stimulation in an oil reservoir, (Tech. Paper) JPT Oct., 1213
 oil: high: in-situ combustion in a thin reservoir, JPT Feb., 199
 role: capillary pressure measurements, (Tech. Paper) SPEJ Apr., 85
 Green River oil shale: *See* Wyoming
 Gulf Coast: Louisiana: backsurging and abrasive perforating to improve perforation performance, (Tech. Paper) JPT Oct., 1207
 estimation of formation pressure with regression models of drilling data, (Tech. Paper) JPT Jan., 9
 Gulf of Mexico: corrosion and cathodic protection: influence of environment, (Tech. Paper) JPT Mar., 323
 hindcasting hurricane waves, (Tech. Paper) SPEJ Aug., 321

H

Heat: of combustion and kinetics: in-situ combustion operation, SPEJ Oct., 410
 wellbore losses: steam injection, (Tech. Paper) JPT Feb., 139
 Heat flow: reservoir to overburden: semianalytic method for thermal coupling, SPEJ Oct., 439
 Heterogeneity: effect on miscible displacement efficiency: use of capillary tube networks, (Tech. Paper) SPEJ Aug., 345
 reservoirs: practical approach to defining, (Tech. Paper) JPT July, 841
 recent sand bodies, SPEJ June, 229
 water drive; permeability variations perpendicular to the layer, SPEJ June, 211
 Hewitt unit waterflood: *See* Oklahoma
 High pressure: Mississippi: deep drilling practices, (Tech. Paper) JPT June, 633
 sour-gas wells: contingency planning for drilling and producing, JPT Mar., 347
 History: diverting agents, (Tech. Paper) JPT May, 593

matching: nonlinear automatic technique for reservoir simulation models, SPEJ Dec., 508
 performance: large-volume submersible pumps, (Tech. Paper) JPT Dec., 1473
 Hoop-stress loading: new method of determining tensile strength of rock, SPEJ June, 246
 Hurricanes: Gulf of Mexico: hindcasting waves, (Tech. Paper) SPEJ Aug., 321
 Hydrates: depths to which frozen gas fields may be expected, (Forum) JPT May, 557
 Hydrocarbon recovery: *See* Gas recovery and Oil recovery
 Hydrocarbons: gaseous mixtures: solubility in water, SPEJ Feb., 21
 oxidation reactions: in-situ combustion process, SPEJ Oct., 410
 vapor-liquid equilibrium ratios in methyl cyanoacetate, (Tech. Paper) SPEJ Aug., 283
 Hydrogen sulfide: removal: conditioning of water, (Tech. Paper) JPT Feb., 181
 Stretford process: East Wilmington field, California, (Tech. Paper) JPT May, 545
 sulfur mixtures: production from deep formations, (Tech. Paper) JPT Sept., 1142
 HYGAS process: development: converting coal to synthetic pipeline gas, (Tech. Paper) JPT Dec., 1407
 Hysteresis: relative permeability: evolution of, SPEJ Feb., 28

I

Illinois: micellar solution slug: novel single-well field test, (Tech. Paper) JPT Nov., 1371
 Immiscible displacement: liquids: simultaneous flow through porous fissured media, (Tech. Paper) JPT Aug., 297
 Imports: LNG: supplementing U. S. gas supplies, (Tech. Paper) JPT May, 535
 Income: acceleration: appraisal of projects, (Tech. Paper) JPT Apr., 393
 Inhibitors: liquid scale: field performance of a squeeze program, (Tech. Paper) JPT July, 812
 scale: evaluation of, (Tech. Paper) JPT Aug., 997
 oilfield chemistry, a challenge to industry (Forum) JPT Aug., 994
 Injection: *See also* Miscible displacement, Thermal recovery of oil, Solvent flooding, and Waterflooding
 air, steam and water: thermal recovery at North Tisdale field, Wyoming, (Tech. Paper) JPT May, 606
 cyclic steam: optimization of process using penalty functions, (Tech. Paper) SPEJ Feb., 13
 fluid: impact of perforation deficiency on a project, (Tech. Paper) JPT Sept., 1063
 hydraulic fluid: propagation of a vertical fracture, SPEJ Aug., 307
 micellar solution slug: novel single-well field test, (Tech. Paper) JPT Nov., 1371
 peripheral: effect of operating decisions on waterflood cash flow, (Tech. Paper) JPT Nov., 1320
 steam: wellbore heat losses and pressure drop, (Tech. Paper) JPT Feb., 139
 water: Intisar "A" and "D" reef fields, Libyan Arab Republic, (Tech. Paper) JPT July, 785
 performance of Sharon Ridge Canyon unit, (Tech. Paper) JPT Apr., 431
 surface and reservoir control, Hewitt unit waterflood, (Tech. Paper) JPT Apr., 426
 use of SP log in surveillance, (Tech. Paper) JPT Feb., 151
 Injection wells: testing, variable flow rate reservoir limit test, (Tech. Paper) JPT Dec., 1423; discussion, 1429
 water quality measurement: and well impairment predictions, JPT July, 865
 Injectivity: impairment: perforations, a prime source of well performance problems, (Tech. Paper) JPT Apr., 399
 In-situ combustion: *See* Thermal recovery of oil
 Interfacial tension: films: effect on displacement of oil by water in porous media, SPEJ Feb., 60
 reservoir fluids: use in relative permeability measurements, SPEJ Oct., 398
 Interference: pressure: development of a modified equation, (Forum) JPT Feb., 149
 Katy gas field: long-range planning function as related to sales, (Tech. Paper) JPT Feb., 145

tests: field examples of automatic transient analysis, (Tech. Paper) JPT Oct., 1271
 Interpretation: dual-spacing neutron log: CNL, (Tech. Paper) JPT Sept., 1073
 log: estimating maximum production rate possible from friable sandstones without using sand control, JPT Sept., 1157
 low-resistivity sand log: new approach, (Tech. Paper) JPT Nov., 1302
 oil in place: uncertainty in unconsolidated sand reservoirs, case history, (Tech. Paper) JPT Nov., 1315
 permeability estimates from NML measurements, (Tech. Paper) JPT Aug., 923
 pressure fall-off tests: reservoirs with and without fluid banks, (Tech. Paper) JPT Sept., 1147
 SP log: waterflood surveillance, (Tech. Paper) JPT Feb., 151
 Intisar "A" and "D" reef fields: *See* Libyan Arab Republic
 Investment: income acceleration projects: appraisal, (Tech. Paper) JPT Apr., 393
 workover economics: complete but simple, (Tech. Paper) JPT Jan., 67

J

Job classification: professionalism: what SPE is all about, (Art.) JPT Apr., 454

K

K-values: *See* Equilibrium ratios
 Kansas: El Dorado field: steam drive, pilot tertiary recovery test, (Tech. Paper) JPT Nov., 1377
 Katy gas field: *See* Texas
 Kinetics: chemical aspects of in-situ combustion, SPEJ Oct., 410
 Klinkenberg effect: permeameter: rapid accurate unsteady-state type, (Tech. Paper) SPEJ Oct., 383

L

Laboratory studies: acid fracturing: design of treatments, JPT July, 849
 air barriers: oil-spill containment devices, (Tech. Paper) SPEJ Apr., 126
 capillarity and relative permeability hysteresis: evolution of, SPEJ Feb., 28
 cementing: using improved technology to obtain better jobs on deep, hot liners, (Tech. Paper) JPT Nov., 1307
 chemical aspects of in-situ combustion: heat of combustion and kinetics, SPEJ Oct., 410
 completion practices: minimize gas communications, (Tech. Paper) JPT Sept., 1170
 displacement of oil by water: effect of interfacial films in porous media, SPEJ Feb., 60
 drilling rate: effect of bentonitic fluid properties, (Tech. Paper) JPT June, 657
 elasticity: static and dynamic properties of two sandstones at permafrost temperatures, JPT Apr., 495
 flow characteristics of gun perforations, (Tech. Paper) JPT Sept., 1095
 formation clays: stabilization with hydroxy-aluminum solutions, JPT July, 860
 fracturing fluids: gas well stimulation with viscous water-base type, (Tech. Paper) JPT Nov., 1385
 injectivity impairment: perforations, a prime source of well performance problems, (Tech. Paper) JPT Apr., 399
 Klinkenberg permeameter: rapid accurate unsteady-state type, (Tech. Paper) SPEJ Oct., 383
 membrane filtration data: measuring water quality and predicting well impairment, JPT July, 865
 mud solids removal: analytical approach, (Tech. Paper) JPT June, 663
 oil saturation measurements: Bartlesville sand after waterflooding and after propane flooding, (Tech. Paper) Dec., 1411
 overburden pressure and water saturation: effect on gas permeability of tight sandstone cores, (Tech. Paper) JPT Feb., 120
 permeability: measuring very low values using a novel liquid permeameter, (Tech. Paper) SPEJ June, 206
 pollutants: crude oil; chemical enhancement of biodegradation, (Tech. Paper) JPT Jan., 16

polyacrylamide: reaction with commonly used additives, (Forum) JPT Sept., 1137
 polymer flooding: inaccessible pore volume, SPEJ Oct., 448
 polymer-polyelectrolyte drilling fluid systems, (Tech. Paper) JPT Oct., 1255
 pulse testing: experimental verification, SPEJ Oct., 403
 recent sand bodies: reservoir inhomogeneities, SPEJ June, 229
 relative permeability measurements: using reservoir fluids, SPEJ Oct., 398
 sand production: determined from noise measurements, (Tech. Paper) JPT July, 803
 scale inhibitors: evaluation of, (Tech. Paper) JPT Aug., 997
 scaled fluid-flow models: geometry differing from that of prototype, SPEJ June, 220
 shear viscosities: ionic polyacrylamide solutions, (Tech. Paper) SPEJ Dec., 469
 solubility: gaseous hydrocarbon mixtures in water, SPEJ Feb., 21
 solvent flooding displacement efficiency: relationship to ternary phase behavior, (Tech. Paper) SPEJ Apr., 89
 solvent stimulation: field results in low-gravity-oil reservoir, (Tech. Paper) JPT Oct., 1213
 steam distillation drive, Brea field, California, (Tech. Paper) JPT Aug., 899
 tensile strength of rock: determining by hoop-stress loading method, SPEJ June, 246
 tertiary surfactant floods: relationship between pore structure and residual oil saturation, (Tech. Paper) SPEJ Aug., 289
 transport of drilled particles, SPEJ Feb., 39
 unconsolidated cores: innovations in handling and processing, (Tech. Paper) JPT Oct., 1191
 vertical permeability, (Tech. Paper) SPEJ June, 199
 water jet cutting: sedimentary rocks, (Tech. Paper) JPT July, 797
 waves: regular and irregular; effect of steepness on an oil containment boom, JPT Aug., 1007
 wettability: 50 oil producing reservoirs, SPEJ Dec., 531
 LACT: California: 20-inch, heated crude pipeline, (Tech. Paper) JPT Dec., 1413
 Leadership: SPE: views from top on professionalism, (Art.) JPT Feb., 117
 Least squares: use in optimal drilling: Monte Carlo approach, SPEJ Oct., 423
 Libyan Arab Republic: Intisar "A" and "D" reef fields: supplemental recovery development, (Tech. Paper) JPT July, 785
 Lignosulfonates: drilling fluids: quantitative determination by ultraviolet absorption analysis, (Tech. Paper) JPT June, 651
 Limestone: tensile strength: determining by hoop-stress loading method, SPEJ June, 246
 Liquefied natural gas: imported: supplementing U. S. gas supplies, (Tech. Paper) JPT May, 535
 Liquids: gas well: practical approach to removing, (Tech. Paper) JPT Aug., 916
 immiscible: simultaneous flow through porous fissured media, (Tech. Paper) SPEJ Aug., 297
 permeameter: measuring very low permeability, (Tech. Paper) SPEJ June, 206
 petroleum: energy supply and demand, some significant influences, (Tech. Paper) JPT May, 521
 Lithology: reservoir heterogeneity: practical approach to defining, (Tech. Paper) JPT July, 841
 Log interpretation: *See* Interpretation
 Logging: *See* Well logging
 Logging while drilling: based on a dynamic theory of drilling, JPT June, 750
 Long Beach field: *See* California
 Louisiana: Bay Marchand: Block 2 field; fire of December 1970, (Tech. Paper) JPT Mar., 225, 234 and 241
 using resistivity measurements to determine distance between wells, JPT June, 723
 Bayou Boeuf field: analytical approach to removing mud solids, (Tech. Paper) JPT June, 663
 Delhi field: in-situ combustion in thin reservoir containing high-gravity oil, JPT Feb., 199
 Gulf Coast: estimation of formation pressure with regression models of drilling data, (Tech. Paper) JPT Jan., 9

lignosulfonates in drilling fluids: quantitative determination by ultraviolet absorption analysis, (Tech. Paper) JPT June, 651
 petroleum industry as it affects marine and estuarine ecology, (Tech. Paper) JPT Apr., 385
 South Pass Blocks 24 and 27 fields: perforations, a prime source of well performance problems, (Tech. Paper) JPT Apr., 399
 South Pass fields: backsurgings and abrasive perforating to improve perforation performance, (Tech. Paper) JPT Oct., 1207

M

Magnetic logging: method for estimating distance and direction from a relief well to cased wellbore, JPT June, 741
 Marine environment: petroleum industry as it affects marine and estuarine ecology, (Tech. Paper) JPT Apr., 385
 Mathematical modeling: *See* Models: mathematical
 Mathematics: optimal drilling: Monte Carlo approach, SPEJ Oct., 423
 Measurements: capillary pressure: role of gravity, (Tech. Paper) SPEJ Apr., 85
 low permeability: novel liquid permeameter, (Tech. Paper) SPEJ June, 206
 NML: permeability estimates from, (Tech. Paper) JPT Aug., 923
 noise: used to determine sand production, (Tech. Paper) JPT July, 803
 oil saturation: Bartlesville sand after waterflooding and after propane flooding, (Tech. Paper) JPT Dec., 1411
 pressures: method for analyzing during drillstem-test flow periods, JPT Oct., 1278
 relative permeability: using reservoir fluids, SPEJ Oct., 398
 resistivity: using to determine distance between wells, JPT June, 723
 tensile strength of rock: hoop-stress loading method, SPEJ June, 246
 vibrations: instantaneous formation logging based on a dynamic theory of drilling, JPT June, 750
 water quality: predicting well impairment, JPT July, 865
 Mechanical properties: behavior of uncased wellbores situated in elastic/plastic media under hydrostatic stress, SPEJ Feb., 49
 Method of characteristics: transient gas pipe flow: compressibility effects, (Tech. Paper) SPEJ Aug., 315
 Methyl cyanoacetate: vapor-liquid equilibrium ratios of acid gases and hydrocarbons, (Tech. Paper) SPEJ Aug., 283
 Micellar solution: field test of flooding, JPT Sept., 1161
 slugs: finding the most profitable size, (Forum) JPT Aug., 993
 novel single-well field test, (Tech. Paper) JPT Nov., 1371
 Michigan: hydraulic fracturing: field experiments, SPEJ Feb., 69
 Minnesota: hydraulic fracturing: field experiments, SPEJ Feb., 69
 Miscible displacement: diphasic multicomponent flow: numerical study, SPEJ Apr., 171
 efficiency: discussion of use of capillary tube networks in reservoir performance studies, (Tech. Paper) SPEJ Aug., 352
 effect of heterogeneity and mobility, (Tech. Paper) SPEJ Aug., 345
 low-pressure rich gas slug flood: reservoir engineering design, (Tech. Paper) JPT May, 599
 micellar solution slug: novel single-well field test, (Tech. Paper) JPT Nov., 1371
 performance predictions: development testing, and application of numerical simulator, JPT July, 874
 propane-gas-water floods: watered-out areas; Adena field, Colorado, (Tech. Paper) JPT Oct., 1264
 recovery prediction: unstable flooding, (Tech. Paper) SPEJ Apr., 143
 slug size: finding the most profitable, (Forum) JPT Aug., 993
 solvent flooding: displacement efficiency in relation to ternary phase behavior, (Tech. Paper) SPEJ Apr., 89
 supplemental recovery development: Intisar "A" and "D" reef fields, Libyan Arab Republic, (Tech. Paper) JPT July, 785

Mississippi: blowouts: sour gas wells; contingency planning, JPT Mar., 347
 Eminence Dome: natural-gas storage in salt comes of age, (Tech. Paper) JPT Nov., 1299
 Piney Woods well blowout: magnetostatic methods for estimating distance and direction from a relief well to a cased wellbore, JPT June, 741
 new approach in relief well drilling, JPT June, 713
 using resistivity measurements to determine distance between wells, JPT June, 723
 Thomasville field: deep drilling practices, (Tech. Paper) JPT June, 633
 Mixtures: gaseous hydrocarbon: solubility in water, SPEJ Feb., 21
 hydrogen sulfide — sulfur: production from deep formations, (Tech. Paper) JPT Sept., 1142
 Mobil-David field: *See* Texas
 Mobility: control: field test of micellar solution flooding, JPT Sept., 1161
 effect on miscible displacement efficiency: use of capillary tube networks, (Tech. Paper) SPEJ Aug., 345
 fluid: methods for increased accuracy in numerical simulators, SPEJ Dec., 515
 Mobility ratio: unit: directional permeability effects in developed and unconfined five-spots, JPT Apr., 487
 Models: compositional: effect of phase data on liquids recovery during cycling of gas condensate reservoir, (Tech. Paper) SPEJ Apr., 96
 empirical: mathematical simulation of polymer flooding in complex reservoirs, (Tech. Paper) SPEJ Oct., 369
 fluid flow: scaled with geometry differing from that of prototype, SPEJ June, 220
 mathematical: acid-fracturing treatment design, JPT July, 849
 analysis of peak mooring forces caused by slow vessel drift oscillation in random seas, (Tech. Paper) SPEJ Aug., 329
 chemical aspects of in-situ combustion; heat of combustion and kinetics, SPEJ Oct., 410
 comparison of various directional survey models and an approach to error analysis, (Tech. Paper) JPT Aug., 935
 diphasic multicomponent flow, SPEJ Apr., 171
 effect of steepness of regular and irregular waves on an oil containment boom, JPT Aug., 1007
 hindcasting waves in Gulf of Mexico, (Tech. Paper) SPEJ Aug., 321
 laboratory flow characteristics of gun perforations, (Tech. Paper) JPT Sept., 1095
 miscible flood performance predictions, JPT July, 874
 natural gas pipeline; constrained derivatives in system optimization, (Tech. Paper) JPT May, 549
 oil recovery predictions by steamflooding: one-dimensional, analytical method, (Tech. Paper) SPEJ Dec., 489
 problems in interpretation of pressure fall-off tests, (Tech. Paper) JPT Sept., 1147
 productivity of vertically fractured wells prior to stabilized flow, (Tech. Paper) JPT July, 807
 sensitivity analysis applied to natural gas transportation systems, (Tech. Paper) SPEJ Apr., 115
 simultaneous flow of immiscible liquids through porous fissured media, (Tech. Paper) SPEJ Aug., 297
 time series; dynamic behavior of offshore structures, SPEJ Apr., 156
 wellbore heat losses and pressure drop in steam injection, (Tech. Paper) JPT Feb., 139
 well-test analysis for wells producing commingled zones, JPT Jan., 27
 network: reservoir performance studies of effect of heterogeneity and mobility on miscible displacement efficiency, (Tech. Paper) SPEJ Aug., 345
 reservoir performance studies; use of capillary tubes, (Tech. Paper) SPEJ Aug., 352
 probability: simulation of waterflood behavior in a reservoir previously invaded by gas, (Tech. Paper) JPT Aug., 909
 radial: used to predict blowout control; Bay Marchand fire, (Tech. Paper) JPT Mar., 234
 rectangular barge tests: slow drift oscillations in random seas, (Tech. Paper) SPEJ June, 191
 regression: drilling data; estimation of formation pressure, (Tech. Paper) JPT Jan., 9
 reservoir simulation: case history of Postle area, Okla-

homa; computer production control, (Tech. Paper) JPT July, 775
 nonlinear automatic history matching technique, SPEJ Dec., 508
 sand pack: steam distillation drive, Brea field, California, (Tech. Paper) JPT Aug., 899
 simulating down-hole conditions: study of completion practices to minimize gas communications, (Tech. Paper) JPT Sept., 1170
 statistical litho-textural: practical approach to defining reservoir heterogeneity, (Tech. Paper) JPT July, 841
 streamline: directional permeability effects in developed and unconfined five-spots, JPT Apr., 487
 theoretical: analysis of drilling barge motions in a random sea, SPEJ Dec., 541
 Molecular sieve: sweetening of propane and butane products, (Tech. Paper) JPT May, 540
 Monitoring: marine risers: effective tool, (Tech. Paper) JPT Mar., 337
 Mooring: force analysis: slow vessel drift oscillations in random seas, (Tech. Paper) SPEJ Aug., 329
 in waves: slow drift oscillations of object in random seas, (Tech. Paper) SPEJ June, 191
 Mud system: running down-hole motors: improved drilling method, (Tech. Paper) JPT Dec., 1484
 Multiwell system: sinusoidal and multirate tests: determination of reservoir properties, (Tech. Paper) SPEJ Dec., 499

N

Natural gas: *See also* Gases
 acid gas removal: vapor-liquid equilibrium ratios of acid gases and hydrocarbons in methyl cyanoacetate, (Tech. Paper) SPEJ Aug., 283
 letter and computer symbols: supplements to engineering quantities, JPT Aug., 973
 pipeline: constrained derivatives in system optimization, (Tech. Paper) JPT May, 549
 storage: Eminence Dome, Mississippi, (Tech. Paper) JPT Nov., 1299
 transportation systems: sensitivity analysis applied to steady-state model, (Tech. Paper) SPEJ Apr., 115
 United States: compiling and reporting proved and potential reserves, (Tech. Paper) JPT May, 531
 how should reserves be reported?, (Tech. Paper) JPT May, 530
 well liquids: practical approach to removing, (Tech. Paper) JPT Aug., 916
 Neutron logging: dual spacing: CNL, (Tech. Paper) JPT Sept., 1073
 Nevis gas plant: *See* Canada
 New Mexico: Project Gasbuggy: effect of nuclear stimulation on formation permeability and gas recovery, (Tech. Paper) JPT Oct., 1199
 San Juan field: parametric pulsing increases gas field deliverability, (Tech. Paper) JPT Jan., 73; discussion, 80
 Newton-Raphson method: sensitivity analysis applied to steady-state model: natural gas transportation systems, (Tech. Paper) SPEJ Apr., 115
 Newtonian fluids: drilled particles: experimental analysis of the transport, SPEJ Feb., 39
 Noise: measurements: used to determine sand production in a well, (Tech. Paper) JPT July, 803
 Nomograph: solids content and solids rate, (Tech. Paper) JPT June, 663
 North Dakota: pumping wells, high GOR; simple low cost method for determining productivity index, (Tech. Paper) JPT Dec., 1417
 North Tisdale field: *See* Wyoming
 Nuclear explosions: correlation of stimulation projects with laboratory studies of tight sandstone cores, (Tech. Paper) JPT Feb., 120
 Project Gasbuggy: effect on formation permeability and gas recovery, (Tech. Paper) JPT Oct., 1199
 wild well: evaluation of explosive kill concept, (Tech. Paper) JPT Sept., 1084
 Nuclear magnetism logging: measurements: permeability estimates from, (Tech. Paper) JPT Aug., 923
 Numerical solutions: analysis of peak mooring forces: caused by slow vessel drift oscillations in random seas, (Tech. Paper) SPEJ Aug., 329
 analyzing pressures measured during drillstem-test flow periods, JPT Oct., 1278

annulus unloading rates: influence of wellbore storage and skin effects, SPEJ Oct., 453
 Bayesian analysis: a method for updating risk estimates, (Tech. Paper) JPT Feb., 193
 directional surveys: comparison of various models and an approach to error analysis, (Tech. Paper) JPT Aug., 935
 dynamic behavior of offshore structures: time series model, SPEJ Apr., 156
 evaluating support for submarine pipeline: sampling marine sediments, (Tech. Paper) JPT Mar., 317
 flow system: novel liquid permeameter for measuring very low permeability, (Tech. Paper) SPEJ June, 206
 fluid flow: diphasic multicomponent, SPEJ Apr., 171
 gravity role: capillary pressure measurements, (Tech. Paper) SPEJ Apr., 85
 heat of combustion and kinetics: in-situ combustion process, SPEJ Oct., 410
 mechanical behavior of uncased wellbores: elastic/plastic media under hydrostatic stress, SPEJ Feb., 49
 miscible flood performance predictions: development, testing and application of simulator, JPT July, 874
 oil recovery: one-dimensional, analytical method for predicting steamflooding, (Tech. Paper) SPEJ Dec., 489
 operation of Klinkenberg permeameter: rapid accurate unsteady-state type, (Tech. Paper) SPEJ Oct., 383
 optimization of a cyclic steam injection process using penalty functions, (Tech. Paper) SPEJ Feb., 13
 parametric pulsing of oil and gas reservoirs: evaluation of merits, (Tech. Paper) JPT Jan., 85
 polymer flooding simulation: complex reservoirs, (Tech. Paper) SPEJ Oct., 369
 pressure buildup analysis: value of producing time used in average pressure determinations, (Forum) JPT Nov., 1367
 pressure-dependent rock and fluid properties effect on well flow tests, SPEJ June, 267
 pressure interference: development of a modified equation, (Forum) JPT Feb., 149
 productivity: vertically fractured wells prior to stabilized flow, (Tech. Paper) JPT July, 807
 propagation of a vertical hydraulic fracture, SPEJ Aug., 306
 pulse testing, SPEJ Oct., 403
 reservoir limit testing: variable flow rate, (Tech. Paper) JPT Dec., 1423; discussion, 1429
 reservoir simulation: methods for increased accuracy, SPEJ Dec., 515
 use of irregular grid, (Tech. Paper) SPEJ Apr., 103
 scaled fluid-flow models: geometry differing from that of prototype, SPEJ June, 220
 semi-implicit reservoir simulation techniques: tests of stability and time-step sensitivity, SPEJ June, 253
 sensitivity analysis: applied to steady-state model of natural gas transportation systems, (Tech. Paper) SPEJ Apr., 115
 shear viscosities: ionic polyacrylamide solutions, (Tech. Paper) SPEJ Dec., 469
 simultaneous flow: two immiscible liquids through porous fissured media, (Tech. Paper) SPEJ Aug., 297
 sinusoidal and multirate flow tests: one or more wells; determination of reservoir properties, (Tech. Paper) SPEJ Dec., 499
 slow drift oscillations: moored object in random seas, (Tech. Paper) SPEJ June, 191
 steepness of regular and irregular waves: effect on an oil containment boom, JPT Aug., 1007
 thermal coupling of reservoir and overburden: semi-analytic method, SPEJ Oct., 439
 two-rate flow tests: conveniences in analyzing, (Forum) JPT Sept., 1139
 water drive: heterogeneous reservoirs: permeability variations perpendicular to the layer, SPEJ June, 211
 well surveying calculations: systematic approach, (Tech. Paper) SPEJ Dec., 474

O

Offshore: petroleum industry as it affects marine and estuarine ecology, (Tech. Paper) JPT Apr., 385
 Offshore drilling: dynamic behavior of structures: time series model, SPEJ Apr., 156
 marine risers: effective tool for monitoring, (Tech. Paper) JPT Mar., 337

- Offshore operations: Bay Marchand fire, (Tech. Paper) JPT Mar., 225, 234 and 241
dynamic positioning: *Terebel* system; results of six years of work and experiments, (Tech. Paper) JPT Mar., 329
oil spill: factors causing environmental changes, (Tech. Paper) JPT Mar., 250
surface-active chemical system for controlling and recovering from ocean, (Tech. Paper) JPT Mar., 255
platforms: influence of environment on corrosion and cathodic protection, (Tech. Paper) JPT Mar., 323
safety: by down-hole well control, (Tech. Paper) JPT Mar., 263
slow drift oscillations: moored object in random seas, (Tech. Paper) SPEJ June, 191
submarine pipeline support: sampling and testing marine sediments, (Tech. Paper) JPT Mar., 317
Oil base mud: Mississippi: deep drilling practices, (Tech. Paper) JPT June, 633
Oil fields: See name of specific fields
Oil industry: effect on marine and estuarine ecology, (Tech. Paper) JPT Apr., 385
oilfield chemistry: a challenge for industry, (Forum) JPT Aug., 994
petroleum engineers: help wanted, (Forum) JPT Apr., 438
Oil production: in sensitive environment: oil producing operations, Long Beach, California, (Tech. Paper) JPT Feb., 125
Oil recovery: diphasic multicomponent flow: numerical study, SPEJ Apr., 171
estimating: statistically derived equation for peripheral waterfloods, (Tech. Paper) JPT Nov., 1320
in-situ combustion: current appraisal of field tests, (Tech. Paper) JPT Apr., 477
low-pressure rich gas miscible slug flood, (Tech. Paper) JPT May, 599
minimum spacing: graphical determination, (Forum) JPT Dec., 1470
miscible flooding: prediction in unstable five-spot pattern, (Tech. Paper) SPEJ Apr., 143
propane-gas-water miscible floods: watered-out areas; Adena field, Colorado, (Tech. Paper) JPT Oct., 1264
slug process: finding the most profitable slug size, (Forum) JPT Aug., 993
steamflooding: one-dimensional, analytical method for predicting, (Tech. Paper) SPEJ Dec., 489
supplemental development: Intisar "A" and "D" reef fields, Libyan Arab Republic, (Tech. Paper) JPT July, 785
Oil reservoirs: low gravity: field results of solvent stimulation, (Tech. Paper) JPT Oct., 1213
parametric pulsing: evaluation of merits, (Tech. Paper) JPT Jan., 85
Oil saturation: measurements: Bartlesville sand after waterflooding and after propane flooding, (Tech. Paper) JPT Dec., 1411
residual: relationship to pore structure in tertiary surfactant floods, (Tech. Paper) SPEJ Aug., 289
Oil shale: Green River, Wyoming: evaluation of in-situ retorting experiment, (Tech. Paper) JPT Jan., 21
impending energy source, (Tech. Paper) JPT Nov., 1325
Oil spill: as it affects marine and estuarine ecology, (Tech. Paper) JPT Apr., 385
cleanup aspects: Bay Marchand fire, (Tech. Paper) JPT Mar., 241
containment devices: air barriers, (Tech. Paper) SPEJ Apr., 126
environmental changes: factors causing, (Tech. Paper) JPT Mar., 250
ocean: surface-active chemical system for controlling and recovering, (Tech. Paper) JPT Mar., 255
Oklahoma: Bartlesville sand: oil saturation measurements after waterflooding and after propane flooding, (Tech. Paper) JPT Dec., 1411
Hewitt unit waterflood: surface and reservoir control of injection water, (Tech. Paper) JPT Apr., 426
Mississippi limestone well: decline-curve analysis, (Forum) JPT Jan., 38
Postle area: case history of computer production control and reservoir simulation, (Tech. Paper) JPT July, 775
S.E. Paul Valley field: uncertainty of oil in place in unconsolidated sand reservoirs, (Tech. Paper) JPT Nov., 1315
Optimization: depletion plan: long-range planning function as related to Katy field gas sales, (Tech. Paper) JPT Feb., 145
natural gas pipeline system: constrained derivatives, (Tech. Paper) JPT May, 549
nonlinear: cyclic steam injection process using penalty functions, (Tech. Paper) SPEJ Feb., 13
producing operations: data gathering and processing system, (Tech. Paper) JPT Feb., 185
Optimizing techniques: drilling: Monte Carlo approach, SPEJ Oct., 423
operating decisions: effect on peripheral waterflood cash flow, (Tech. Paper) JPT Nov., 1320
Oregon: offshore: analysis of drilling barge motion in a random sea, SPEJ Dec., 541
Oscillations: slow drift: analysis of peak mooring forces of vessel in random seas, (Tech. Paper) SPEJ Aug., 329
moored object in random seas, (Tech. Paper) SPEJ June, 191
Overburden: stress: effect on geopressure prediction from well logs, (Tech. Paper) JPT Aug., 929
thermal coupling with reservoir: semi-analytic method, SPEJ Oct., 439
Overburden pressure: effect on gas permeability of tight sandstone cores along with water saturation, (Tech. Paper) JPT Feb., 120
Oxygen: removal: conditioning of water, (Tech. Paper) JPT Feb., 181
scavenger: formaldehyde in polyacrylamide solutions, (Forum) JPT Sept., 1137
- ## P
- Packing: in natural sands: reservoir inhomogeneities, SPEJ June, 229
Parametric pulsing: gas field deliverability increased, (Tech. Paper) JPT Jan., 73; discussion, 80
oil and gas reservoirs: evaluation of merits, (Tech. Paper) JPT Jan., 85
Particles: drilled: experimental analysis of the transport, SPEJ Feb., 39
mud solids: analytical approach to removing, (Tech. Paper) JPT June, 663
Payout: workover economics: complete but simple, (Tech. Paper) JPT Jan., 67
Pembina field: See Canada
Penalty function: optimization of a cyclic steam injection process, (Tech. Paper) SPEJ Feb., 13
Penetration: acid-fracturing treatments: design, JPT July, 849
Perforating: abrasive; and backsurgings to improve perforation performance, (Tech. Paper) JPT Oct., 1207
deficiency: impact on a fluid injection project, case history, (Tech. Paper) JPT Sept., 1063
gun: laboratory flow characteristics, (Tech. Paper) JPT Sept., 1095
interwell communication: new approach in relief well drilling, JPT June, 713
well performance problems: prime source, (Tech. Paper) JPT Apr., 399
miscible flood: development, testing, and application of numerical simulator, JPT July, 874
Performance predictions: low-pressure rich gas miscible slug flood, (Tech. Paper) JPT May, 599
miscible flood: development, testing, and application of numerical simulator, JPT July, 874
recovery: unstable miscible flooding, (Tech. Paper) SPEJ Apr., 143
reservoir studies: discussion of use of capillary tube networks, (Tech. Paper) SPEJ Aug., 352
effect of heterogeneity and mobility on miscible displacement efficiency, (Tech. Paper) SPEJ Aug., 345
sensitivity study using a compositional reservoir simulator, (Tech. Paper) SPEJ Feb., 3
Sharon Ridge Canyon unit, Texas: water injection, (Tech. Paper) JPT Apr., 431
well impairment: from suspended solids in injection water, JPT July, 865
Peripheral well pattern: waterflooding: effect of operating decisions on cash flow, (Tech. Paper) JPT Nov., 1320
Permafrost: temperatures: static and dynamic elastic properties of two sandstones, JPT Apr., 495
Permeability: anisotropy: influence of oriented arrays of thin impermeable shale lenses or of highly conductive natural fractures, (Forum) JPT Oct., 1219

- calculated from pulse-test data, SPEJ Oct., 403
- damage by fresh water: stabilization of formation clays with hydroxy-aluminum solutions, JPT July, 860
- directional: effects in developed and unconfined five-spots, JPT Apr., 487
- formation: effect of nuclear stimulation at Project Gas-buggy, (Tech. Paper) JPT Oct., 1199
- gas: determination of Klinkenberg permeability in unsteady-state permeameter, (Tech. Paper) SPEJ Oct., 383
- tight sandstone cores, effect of overburden pressure and water saturation, (Tech. Paper) JPT Feb., 120
- low: measuring with novel liquid permeameter, (Tech. Paper) SPEJ June, 206
- NML measurements: estimates from, (Tech. Paper) JPT Aug., 923
- recent sand bodies: reservoir inhomogeneities, SPEJ June, 229
- reduction beneath bit: effect of bentonitic fluid properties on drilling rate, (Tech. Paper) JPT June, 657
- relative: evolution of hysteresis, SPEJ Feb., 28
- laboratory evaluation of 50 producing reservoirs, SPEJ Dec., 531
- measurements using reservoir fluids, SPEJ Oct., 398
- stratified: well-test analysis for wells producing commingled zones, JPT Jan., 27
- thick product: determined from well-test analysis for vertically fractured wells, JPT Aug., 1014
- variations perpendicular to the layer: water drive in inhomogeneous reservoirs, SPEJ June, 211
- vertical: study of Rainbow field, Canada, (Tech. Paper) SPEJ June, 199
- Permeameter: Klinkenberg: rapid accurate unsteady-state type, (Tech. Paper) SPEJ Oct., 383
- liquid: measuring very low permeability, (Tech. Paper) SPEJ June, 206
- Petroleum economics: See Economics
- Petroleum engineers: help wanted, (Forum) JPT Apr., 438
- Petroleum industry: See Oil industry
- Phase behavior: gas condensate reservoir: effect on liquids recovery during cycling, (Tech. Paper) SPEJ Apr., 96
- solubility: gaseous hydrocarbon mixtures in water, SPEJ Feb., 21
- ternary: relationship to solvent flooding displacement efficiency, (Tech. Paper) SPEJ Apr., 89
- Physical properties: bentonitic fluid: effect on drilling rate, (Tech. Paper) JPT June, 657
- Pilot study: Bartlesville sand, Oklahoma: oil saturation measurements after waterflooding and after propane flooding, (Tech. Paper) JPT Dec., 1411
- El Dorado steam drive: tertiary recovery, (Tech. Paper) JPT Nov., 1377
- evaluation of in-situ combustion in thin reservoir containing high-gravity oil, JPT Feb., 199
- five-spot well pattern: nonlinear automatic history matching technique for reservoir simulation models, SPEJ Dec., 508
- HYGAS process: converting coal to synthetic pipeline gas, (Tech. Paper) JPT Dec., 1407
- propane-gas-water miscible floods: watered-out area; Adena field, Colorado, (Tech. Paper) JPT Oct., 1264
- Pincher Creek gas plant: See Canada
- Pipelines: crude: fully automated, 20-inch heated line in California, (Tech. Paper) JPT Dec., 1431
- natural gas: constrained derivatives in system optimization, (Tech. Paper) JPT May, 549
- submarine: support by marine sediments, (Tech. Paper) JPT Mar., 317
- synthetic gas: development of HYGAS process for converting coal, (Tech. Paper) JPT Dec., 1407
- transient gas flow: compressibility effects, (Tech. Paper) SPEJ Aug., 315
- Platforms: Bay Marchand fire, (Tech. Paper) JPT Mar., 225
- corrosion and cathodic protection: influence of environment, (Tech. Paper) JPT Mar., 323
- Gulf of Mexico: hindcasting hurricane waves, (Tech. Paper) SPEJ Aug., 321
- Pollutants: crude-oil: chemical enhancement of biodegradation, (Tech. Paper) JPT Jan., 16
- Pollution: control: Bay Marchand fire, (Tech. Paper) JPT Mar., 225 and 241
- and recovery of spilled oil from ocean: surface-active chemical system, (Tech. Paper) JPT Mar., 255
- help wanted: petroleum engineers, (Forum) JPT Apr., 438
- oil: containment boom; effect of steepness of regular and irregular waves, JPT Aug., 1007
- factors causing environmental changes after a spill, (Tech. Paper) JPT Mar., 250
- petroleum industry as it affects marine and estuarine ecology, (Tech. Paper) JPT Apr., 385
- producing operations: Long Beach, California, (Tech. Paper) JPT Feb., 125
- spill containment devices; air barriers, (Tech. Paper) SPEJ Apr., 126
- regeneration gas handling: molecular sieve sweetening of propane and butane, (Tech. Paper) JPT May, 540
- Polyacrylamide: ionic solutions: shear viscosities, (Tech. Paper) SPEJ Dec., 469
- Polymer: diverting material: field performance of a liquid scale inhibitor squeeze program, (Tech. Paper) JPT July, 813
- flooding complex reservoirs: mathematical simulation, (Tech. Paper) SPEJ Oct., 369
- ionic polyacrylamide solutions: shear viscosities, (Tech. Paper) SPEJ Dec., 469
- polyelectrolyte drilling fluid systems, (Tech. Paper) JPT Oct., 1255
- solutions: flow in porous media; inaccessible pore volume, SPEJ Oct., 448
- Pore structure: relationship to residual oil saturation in tertiary surfactant floods, (Tech. Paper) SPEJ Aug., 289
- Pore volume: inaccessible: in polymer flooding, SPEJ Oct., 448
- Porosity: calculated from pulse-test data, SPEJ Oct., 403
- determination: dual-spacing neutron log, CNL, (Tech. Paper) JPT Sept., 1073
- recent sand bodies: reservoir inhomogeneities, SPEJ June, 229
- unconsolidated sand reservoirs: uncertainty of oil in place, case history, (Tech. Paper) JPT Nov., 1315
- Porous media: See also Reservoir rocks
- capillary pressure measurements: role of gravity, (Tech. Paper) SPEJ Apr., 85
- fissured: simultaneous flow of immiscible liquids through, (Tech. Paper) SPEJ Aug., 297
- permeability variations: perpendicular to the layer; water drive in heterogeneous reservoirs, SPEJ June, 211
- polymer flooding: inaccessible pore volume, SPEJ Oct., 448
- pressure-dependent rock and fluid properties effect on well flow tests: investigation by numerical methods, SPEJ June, 267
- reservoir simulation: use of irregular grid, (Tech. Paper) SPEJ Apr., 103
- scaled fluid-flow models: geometry differing from that of prototype, SPEJ June, 220
- solvent flooding: displacement efficiency in relation to ternary phase behavior, (Tech. Paper) SPEJ Apr., 89
- water-wet: effect of interfacial films on displacement of oil, SPEJ Feb., 60
- Positioning: *Terebel* dynamic system: results of six years of field work and experiments, (Tech. Paper) JPT Mar., 329
- Postle area: See Oklahoma
- Potential Gas Committee: reserves: compiling and reporting proved and potential natural gas, (Tech. Paper) JPT May, 531
- how should gas be compiled and reported in the U.S., (Tech. Paper) JPT May, 530
- Power: 796-volt: considerations in use for waterflood plants, (Tech. Paper) JPT Oct., 1196
- Present worth: peripheral waterflood: effect of operating decisions, (Tech. Paper) JPT Nov., 1320
- Pressure behavior: abnormal: gas reservoir in South Texas, (Tech. Paper) JPT Feb., 132
- drop: steam injection operations, (Tech. Paper) JPT Feb., 139
- formation: prediction with regression models of drilling data, (Tech. Paper) JPT Jan., 9
- geopressure prediction from well logs: effect of overburden stress, (Tech. Paper) JPT Aug., 929
- interference: development of a modified equation, (Forum) JPT Feb., 149
- rock and fluid properties effect on well flow tests: investigation by numerical methods, SPEJ June, 267
- steam stimulation: correlation of performance, (Forum) JPT Nov., 1367
- Pressure buildup: analysis: concerning value of producing

- time used in average pressure determinations, (Forum) JPT Nov., 1367
- vertically fractured wells, JPT Aug., 1014
- automatic transient test analysis: field examples, (Tech. Paper) JPT Oct., 1271
- single-point data: comparing with reservoir simulator results, (Forum) JPT June, 711
- wells producing commingled zones: test analysis, JPT Jan., 27
- Pressure fall-off: tests: problems in interpretation in reservoirs with and without fluid banks, (Tech. Paper) JPT Sept., 1147
- Pressure maintenance: *See also* Miscible displacement, Solvent flooding, and Waterflooding
- Pressure transient: analysis: during drillstem-test flow periods, JPT Oct., 1278
- Probability: Bayesian analysis for updating risk estimates, (Tech. Paper) JPT Feb., 193
- Processing: hydrogen sulfide gas: Stretford process at East Wilmington field, California, (Tech. Paper) JPT May, 545
- oil shale: impending energy source, (Tech. Paper) JPT Nov., 1325
- sour gas: molecular sieve sweetening of propane and butane, (Tech. Paper) JPT May, 540
- system: to optimize producing operations, (Tech. Paper) JPT Feb., 185
- unconsolidated cores: innovations in, (Tech. Paper) JPT Oct., 1191
- Production: commercial: effect of overburden stress on geopressure prediction from well logs, (Tech. Paper) JPT Aug., 929
- control: by computer; case history of Postle area, Oklahoma, (Tech. Paper) JPT July, 775
- hydrogen sulfide — sulfur mixtures: deep formations, (Tech. Paper) JPT Sept., 1142
- rate: relating to time and cumulative production by decline-curve analysis, (Forum) JPT Jan., 38
- time: concerning value used in average pressure determinations from pressure buildup analysis, (Forum) JPT Nov., 1367
- wells from commingled zones: well-test analysis, JPT Jan., 27
- Production logging: indicates impact of perforation deficiency on a fluid injection project, (Tech. Paper) JPT Sept., 1063
- Production operations: *See also* the specific operation abnormally pressured gas reservoir in South Texas, (Tech. Paper) JPT Feb., 132
- contingency planning for high-pressure sour-gas wells, JPT Mar., 347
- environmental aspects: Long Beach, California, (Tech. Paper) JPT Feb., 125
- gas well liquids: practical approach to removing, (Tech. Paper) JPT Aug., 916
- optimization: with a data gathering and processing system, (Tech. Paper) JPT Feb., 185
- rate: estimating maximum from friable sandstones without using sand control, JPT Sept., 1157
- Productivity: index: high GOR pumping wells; simple low cost method for determining, (Tech. Paper) JPT Dec., 1417
- perforations: backsurging and abrasive perforating to improve, (Tech. Paper) JPT Oct., 1207
- prime source of well performance problems, (Tech. Paper) JPT Apr., 399
- vertically fractured wells: prior to stabilized flow, (Tech. Paper) JPT July, 807
- Professionalism: SPE, views from the top, (Art.) JPT Feb., 117
- what's it all about, (Tech. Art.) JPT Apr., 454
- Profitability: analysis: where are we now?, (Tech. Paper) JPT Jan., 90
- Propagation: vertical hydraulic fracture, SPEJ Aug., 306
- Propane: flooding: oil saturation measurements, Bartlesville sand, (Tech. Paper) JPT Dec., 1411
- injection: watered-out areas; Adena field, Colorado, (Tech. Paper) JPT Oct., 1264
- molecular sieve sweetening, (Tech. Paper) JPT May, 450
- Propping agent: high concentration: advantages in fracture stimulation, (Tech. Paper) JPT June, 643
- Pulse testing: mathematical analysis and experimental verification, SPEJ Oct., 403
- Pumping wells: high GOR: simple low cost method for determining the productivity index, (Tech. Paper) JPT Dec., 1417
- Pumps: life expectancy: operating costs and performance of large-volume submersible types, (Tech. Paper) JPT Dec., 1473

R

- Rainbow field: *See* Canada
- Rate of return: income acceleration projects, (Tech. Paper) JPT Apr., 393
- profitability analysis: where are we now?, (Tech. Paper) JPT Jan., 90
- workovers: complete but simple economics, (Tech. Paper) JPT Jan., 67
- Recovery methods: *See* Oil recovery, Secondary recovery, and Thermal recovery of oil
- Tulsa SPE meeting in retrospect, (Art.) JPT June, 686
- Regression analysis: models: drilling data; estimation of formation pressure, (Tech. Paper) JPT Jan., 9
- optimal drilling: Monte Carlo approach, SPEJ Oct., 423
- Relative permeability: *See* Permeability: relative
- Reserves: graphical determination, (Forum) JPT Dec., 1470
- natural gas: in U. S. how should they be compiled and reported?, (Tech. Paper) JPT May, 530
- proved and potential; compiling and reporting in the U. S., (Tech. Paper) JPT May, 531
- Reservoir analysis: *See also* Performance predictions
- 50 oil producers: laboratory evaluation of wettability, SPEJ Dec., 531
- Katy gas field: long-range planning function as related to sales, (Tech. Paper) JPT Feb., 145
- Sharon Ridge Canyon unit, Texas: performance with water injection, (Tech. Paper) JPT Apr., 431
- Reservoir characteristics: automatic history matching: nonlinear technique for reservoir simulation models, SPEJ Dec., 508
- determination from sinusoidal and multirate flow tests in one or more wells, (Tech. Paper) SPEJ Dec., 499
- Reservoir engineering: *See* Reservoir mechanics
- Reservoir fluids: usage: for relative permeability measurements, SPEJ Oct., 398
- Reservoir limit test: variable flow rate, (Tech. Paper) JPT Dec., 1423; discussion, 1429
- Reservoir mechanics: design: low-pressure rich gas miscible slug flood, (Tech. Paper) JPT May, 599
- engineering techniques: used to predict blowout control during Bay Marchand fire, (Tech. Paper) JPT Mar., 234
- letter and computer symbols: supplements to, JPT Aug., 973
- pulse testing: mathematical analysis and experimental verification, SPEJ Oct., 403
- Reservoir pressure: *See* Pressure behavior
- Reservoir rocks: *See also* Cores and Porous media
- heterogeneity: practical approach to defining, (Tech. Paper) JPT July, 841
- unconsolidated: innovations in handling and processing cores, (Tech. Paper) JPT Oct., 1191
- Reservoir simulation: *See also* Models
- comparing results with single-point pressure buildup data, (Forum) JPT June, 711
- compositional: sensitivity study of reservoir performance, (Tech. Paper) SPEJ Feb., 3
- correlation of steam performance, (Forum) JPT Nov., 1367
- models: nonlinear automatic history matching techniques, SPEJ Dec., 508
- numerical simulators: methods for increased accuracy, SPEJ Dec., 515
- Postle area, Oklahoma: case history, (Tech. Paper) JPT July, 775
- productivity of vertically fractured wells prior to stabilized flow, (Tech. Paper) JPT July, 807
- semi-implicit techniques: tests of the stability and time-step sensitivity, SPEJ June, 253
- use of irregular grid, (Tech. Paper) SPEJ Apr., 103
- Reservoir stimulation: acid fracturing: design of treatments, JPT July, 849
- Reservoirs: *See also* type, such as Bottom-water drive, Gas drive, Water drive, and also specific names
- complex: mathematical simulation of polymer flooding, (Tech. Paper) SPEJ Oct., 369
- condensate: effect of phase data on liquids recovery during cycling, (Tech. Paper) SPEJ Apr., 96
- gas invaded previously: simulation of waterflood behavior, (Tech. Paper) JPT Aug., 909

heterogeneity: recent sand bodies, SPEJ June, 229
 layered: water drive; permeability variations perpendicular to the layer, SPEJ June, 211
 size: variable flow rate reservoir limit testing, (Tech. Paper) JPT Dec., 1423; discussion, 1429
 thermal coupling with overburden: semi-analytic method, SPEJ Oct., 439
 thin: in-situ combustion; high-gravity oil, JPT Feb., 199
 unconsolidated sand: uncertainty of oil in place, case history, (Tech. Paper) JPT Nov., 1315
 Resistivity: low: new approach for sand log analysis, (Tech. Paper) JPT Nov., 1302
 measurements: using to determine distance between wells, JPT June, 723
 ratio: geopressure prediction from well logs; effects of overburden stress, (Tech. Paper) JPT Aug., 929
 Response function: wave: analysis of drilling barge motions in a random sea, SPEJ Dec., 541
 Retorting: Green River oil shale: evaluation of experiment, (Tech. Paper) JPT Jan., 21
 Rheology: polymer-polyelectrolyte drilling fluid systems, (Tech. Paper) JPT Oct., 1255
 Riser: marine: effective tool for monitoring, (Tech. Paper) JPT Mar., 337
 Risk analysis: Bayesian analysis method for updating, (Tech. Paper) JPT Feb., 193
 hindcasting hurricane waves: Gulf of Mexico, (Tech. Paper) SPEJ Aug., 321
 profitability: where are we now?, (Tech. Paper) JPT Jan., 90
 workover economics, (Tech. Paper) JPT Jan., 67
 Rock mechanics: elastic/plastic media: under hydrostatic stress; mechanical behavior of uncased wellbores, SPEJ Feb., 49
 sandstones: static and dynamic properties at permafrost temperatures, JPT Apr., 495
 sedimentary rock: water jet cutting, (Tech. Paper) JPT July, 797
 Rock properties: pressure-dependent: effect on well flow tests; investigation by numerical methods, SPEJ June, 267
 recent sand bodies: reservoir inhomogeneities, SPEJ June, 229
 tensile strength: determining by hoop-stress loading method, SPEJ June, 246
 Rocks: See Reservoir rocks

S

Safety: by down-hole well control, (Tech. Paper) JPT Mar., 263
 sour-gas wells: contingency planning for drilling and producing high-pressure wells, JPT Mar., 347
 Salary: professionalism: what SPE is all about, (Art.) JPT Apr., 454
 Salt domes: storage: natural gas in salt comes of age in Eminence Dome, Mississippi, (Tech. Paper) JPT Nov., 1299
 Sampling: marine sediments: evaluating support for submarine pipeline, (Tech. Paper) JPT Mar., 317
 San Joaquin Valley: See California
 San Juan field: See New Mexico
 Sand control: gravel-pack completions inside casing, (Tech. Paper) JPT Apr., 419
 without using: estimating maximum production rate possible from friable sandstones, JPT Sept., 1157
 Sands: low resistivity: new approach for log analysis, (Tech. Paper) JPT Nov., 1302
 production: determined from noise measurements, (Tech. Paper) JPT July, 803
 recent: reservoir inhomogeneities, SPEJ June, 229
 unconsolidated reservoirs: uncertainty of oil in place, (Tech. Paper) JPT Nov., 1315
 Sandstones: friable: estimating maximum production rate possible without using sand control, JPT Sept., 1157
 permeability: estimates from NML measurements, (Tech. Paper) JPT Aug., 923
 static and dynamic elastic properties at permafrost temperatures, JPT Apr., 495
 tensile strength: determining by hoop-stress loading method, SPEJ June, 246
 tight cores: effect of overburden pressure and water saturation on gas permeability, (Tech. Paper) JPT Feb., 120
 Santa Barbara channel: See California
 Santa Maria basin: See California
 Saturation: profiles: role of gravity in capillary pressure measurements, (Tech. Paper) SPEJ Apr., 85
 Scale: inhibitors: an evaluation, (Tech. Paper) JPT Aug., 997
 oilfield chemistry, a challenge for industry, (Forum) JPT Aug., 994
 liquid: field performance of inhibitor squeeze program, (Tech. Paper) JPT July, 812
 Scaling: fluid-flow models: geometry differing from that of prototype, SPEJ June, 220
 reservoir performance studies: use of capillary tube networks, (Tech. Paper) SPEJ Aug., 352
 Scavengers: oxygen: formaldehyde in polyacrylamide solutions, (Forum) JPT Sept., 1137
 S.E. Pauls Valley field: See Oklahoma
 Secondary recovery: See also Miscible displacement, Solvent flooding, Thermal recovery of oil, and Water-flooding
 in-situ combustion: current appraisal of field tests, (Tech. Paper) JPT Apr., 477
 Sedimentary rocks: water jet cutting, (Tech. Paper) JPT July, 797
 Sediments: marine: support for submarine pipeline, (Tech. Paper) JPT Mar., 317
 ocean: depths to which frozen gas fields may be expected, (Forum) JPT May, 557
 Sensitivity analysis: applied to steady-state model of natural gas transportation system, (Tech. Paper) SPEJ Apr., 115
 reservoir performance using a compositional reservoir simulator, (Tech. Paper) SPEJ Feb., 3
 semi-implicit reservoir simulation techniques, SPEJ June, 253
 Shale oils: See Oil shales
 Shales: lenses, thin impermeable: influence on apparent permeability anisotropy, (Forum) JPT Oct., 1219
 Sharon Ridge Canyon unit: See Texas
 Shear strength: viscosities: ionic polyacrylamide solutions, (Tech. Paper) SPEJ Dec., 469
 Siberia: depths to which frozen gas fields may be expected, (Forum) JPT May, 557
 Simulation: computer: solvent flooding displacement efficiency in relation to ternary phase behavior, (Tech. Paper) SPEJ Apr., 89
 logging while drilling: dynamic theory, JPT June, 750
 mathematical: polymer flooding in complex reservoirs, (Tech. Paper) SPEJ Oct., 369
 Monte Carlo: profitability analysis, where are we now?, (Tech. Paper) JPT Jan., 90
 numerical: development, testing, and application of model for predicting miscible flood performance, JPT July, 874
 parametric pulsing of oil and gas reservoirs, (Tech. Paper) JPT Jan., 85
 reservoir: used to predict blowout control; Bay Marchand fire, (Tech. Paper) JPT Mar., 234
 waterflood: behavior in reservoir previously invaded by gas, (Tech. Paper) JPT Aug., 909
 Skin effect: analyzing: two-rate flow tests, (Forum) JPT Sept., 1139
 annulus unloading rate: influence on, SPEJ Oct., 453
 problem in interpretation of pressure fall-off tests: reservoirs with and without fluid banks, (Tech. Paper) JPT Sept., 1147
 Slug process: See also Miscible displacement
 CO₂ waterflood: prediction of recovery in unstable flood, (Tech. Paper) SPEJ Apr., 143
 diphasic multicomponent flow: numerical study, SPEJ Apr., 171
 low-pressure rich gas miscible flood: reservoir engineering design, (Tech. Paper) JPT May, 599
 micellar solutions, novel single-well field test, (Tech. Paper) JPT Nov., 1371
 slug size: finding the most profitable, (Forum) JPT Aug., 993
 Society of Petroleum Engineers: and professionalism, (Art.) JPT Feb., 117
 help wanted by petroleum engineers on environmental problems, (Forum) JPT Apr., 438
 letter and computer symbols: supplements to petroleum reservoir engineering, natural gas engineering and well logging quantities, JPT Aug., 973
 sponsor of symposium on oilfield chemistry, (Forum) JPT Aug., 994

Tulsa meeting in retrospect: improved recovery methods, (Art.) JPT June, 686
 what is the society all about?: professionalism, (Art.) JPT Apr., 454
 Soil: marine sediments: support for submarine pipeline, (Tech. Paper) JPT Mar., 317
 Solubility: gaseous hydrocarbon mixtures in water, SPEJ Feb., 21
 Solutions: hydroxy-aluminum: stabilization of formation clays with, JPT July, 860
 Solvent flooding: displacement efficiency in relation to tertiary phase behavior, (Tech. Paper) SPEJ Apr., 89
 low-pressure rich gas miscible slug flood, (Tech. Paper) JPT May, 599
 slug size: finding the most profitable, (Forum) JPT Aug., 993
 Solvents: stimulation results in low-gravity-oil reservoir, (Tech. Paper) JPT Oct., 1213
 Sour gas: deep formations: production of hydrogen sulfide-sulfur mixtures, (Tech. Paper) JPT Sept., 1142
 high-pressure wells: contingency planning for drilling and producing, JPT Mar., 347
 Piney Woods, Mississippi: approach in relief well drilling, JPT June, 713
 molecular sieve sweetening: propane and butane products, (Tech. Paper) JPT May, 540
 wells: deep drilling practices in Mississippi, (Tech. Paper) JPT June, 635
 South Pass Blocks 24 and 27 fields: *See* Louisiana
 South Pass field: *See* Louisiana
 SP log: use in waterflood surveillance, (Tech. Paper) JPT Feb., 151
 Spacing: *See* Well spacing
 Spontaneous potential: *See* SP log
 Stability: formation: friable sandstones; estimating maximum production rate possible without using sand control, JPT Sept., 1157
 limitation: methods for increased accuracy in numerical reservoir simulators, SPEJ Dec., 515
 tests: semi-implicit reservoir simulation techniques, SPEJ June, 253
 Stabilization mechanism: formation clays with hydroxy-aluminum solutions, JPT July, 860
 Statistics: field tests: current appraisal of in-situ combustion, (Tech. Paper) JPT Apr., 477
 Steam injection: *See* Thermal recovery of oil
 Steamflooding: *See* Thermal recovery of oil
 Stimulation: *See also* Reservoir and Well stimulation, or the specific process
 fracture: advantages of high proppant concentration, (Tech. Paper) JPT June, 643
 nuclear: effect on formation permeability and gas recovery at Project Gasbuggy, (Tech. Paper) JPT Oct., 1199
 solvent: field results in low-gravity-oil reservoir, (Tech. Paper) JPT Oct., 1213
 Storage: cores, unconsolidated: innovations in handling and processing, (Tech. Paper) JPT Oct., 1191
 natural gas: Eminence Dome, Mississippi, (Tech. Paper) JPT Nov., 1299
 wellbore: field examples of automatic transient test analysis, (Tech. Paper) JPT Oct., 1271
 influence on annulus unloading rates, SPEJ Oct., 453
 Stratification: *See* Permeability: stratified
 Stratigraphy: subsurface position: determining by fluid-entry analysis during air drilling, (Forum) JPT Oct., 1222
 Stresses: hydrostatic: elastic/plastic media; mechanical behavior of uncased wellbores situated in, SPEJ Feb., 49
 measurement: field experiments on hydraulic fracturing, SPEJ Feb., 69
 overburden: effect on geopressure prediction from well logs, (Tech. Paper) JPT Aug., 929
 Stretford process: East Wilmington field, (Tech. Paper) JPT May, 545
 Subsurface: stratigraphic position: determining by fluid-entry analysis during air drilling, (Forum) JPT Oct., 1222
 Sulfur: hydrogen sulfide mixtures: production from deep formations, (Tech. Paper) JPT Sept., 1142
 Supersaturation: degree of: most important condition in evaluation of scale inhibitors, (Tech. Paper) JPT Aug., 997
 Supply: *See* Reserves
 Supply and demand: energy: petroleum liquids, some significant influences, (Tech. Paper) JPT May, 521

natural gas: supplementing U. S. supplies with imported LNG, (Tech. Paper) JPT May, 535
 Surface active agents: chemical enhancement of biodegradation of crude-oil pollutants, (Tech. Paper) JPT Jan., 16
 chemical system for controlling and recovering spilled oil from the ocean, (Tech. Paper) JPT Mar., 255
 tertiary floods: relationship between pore structure and residual oil saturation, (Tech. Paper) SPEJ Aug., 289
 Surfactants: *See* Surface active agents
 Sweep efficiency: five-spots, developed and unconfined: directional permeability effects, JPT Apr., 487
 in-situ combustion: current appraisal of field tests, (Tech. Paper) JPT Apr., 477
 vertical: impact of perforation deficiency on fluid injection project, (Tech. Paper) JPT Sept., 1063
 Swept area: *See* Sweep efficiency
 Symbols: letter and computer: supplements for petroleum reservoir engineering, natural gas engineering and well logging quantities, JPT Aug., 973
 Synthetic fuels: converting coal to pipeline gas: development of HYGAS process, (Tech. Paper) JPT Dec., 1407

T

Tampico Maru: oil spill: factors causing environmental changes, (Tech. Paper) JPT Mar., 250
 Technical proficiency: oil recovery methods: Tulsa SPE meeting in retrospect, (Art.) JPT June, 686
 Temperature: inversion: vapor-liquid equilibrium ratios of acid gases and hydrocarbons in methyl cyanoacetate, (Tech. Paper) SPEJ Aug., 283
 most important condition in evaluation of scale inhibitors, (Tech. Paper) JPT Aug., 997
 permafrost: static and dynamic elastic properties of two sandstones, JPT Apr., 495
 Tensile strength: rock: hoop-stress loading method of determining, SPEJ June, 246
 Terminal angle method: directional survey calculations: comparison of various models and an approach to model error analysis, (Tech. Paper) JPT Aug., 935
 Ternary diagrams: phase behavior: solvent flooding displacement efficiency, (Tech. Paper) SPEJ Apr., 89
 Tertiary recovery: micellar solution flooding: field test, JPT Sept., 1161
 pilot test: El Dorado steam drive, (Tech. Paper) JPT Nov., 1377
 reservoirs with and without fluid banks: problems in interpretation of pressure fall-off tests, (Tech. Paper) JPT Sept., 1147
 surfactant floods: relationship between pore structure and residual oil saturation, (Tech. Paper) SPEJ Aug., 289
 Testing: automatic transient test analysis: field examples, (Tech. Paper) JPT Oct., 1271
 contact angle and relative permeability: laboratory evaluation of 50 oil producing reservoirs, SPEJ Dec., 531
 drillstem: method for analyzing pressures measured during flow periods, JPT Oct., 1278
 numerical simulator: for predicting miscible flood performance, JPT July, 874
 pilot tertiary recovery: El Dorado steam drive, (Tech. Paper) JPT Nov., 1377
 pressure fall-off: problems in interpretation in reservoirs with and without fluid banks, (Tech. Paper) JPT Sept., 1147
 reservoir limit: variable flow rate, (Tech. Paper) JPT Dec., 1423; discussion, 1429
 safety valves: down-hole well control, (Tech. Paper) JPT Mar., 263
 scale inhibitors: an evaluation, (Tech. Paper) JPT Aug., 997
 short term: annulus unloading rates as influenced by wellbore storage and skin effect, SPEJ Oct., 453
 sinusoidal and multirate flow in one or more wells: determination of reservoir properties, (Tech. Paper) SPEJ Dec., 499
 subsurface: impact of perforation deficiency on a fluid injection project, (Tech. Paper) JPT Sept., 1063
 two-rate flow: conveniences in analyzing, (Forum) JPT Sept., 1139
 vertically fractured wells: analysis of well tests, JPT Aug., 1014
 well flow: numerical methods: investigation of effect of

- pressure-dependent rock and fluid properties, SPEJ June, 267
- well producing commingled zones: well-test analysis, JPT Jan., 27
- Texas: Borregos field: simulation of waterflood behavior in a reservoir previously invaded by gas, (Tech. Paper) JPT Aug., 909
- Delaware basin: polymer-polyelectrolyte drilling fluid systems, (Tech. Paper) JPT Oct., 1255
- Foster field: performance of a liquid scale inhibitor squeeze program, (Tech. Paper) JPT July, 812
- Katy gas field, long-range planning function as related to gas sales, (Tech. Paper) JPT Feb., 145
- Mobil-David field: Anderson "L", an abnormally pressured gas reservoir in South Texas, (Tech. Paper) JPT Feb., 132
- Sharon Ridge Canyon unit: water injection performance, (Tech. Paper) JPT Apr., 431
- Southwest: using improved technology to obtain better cement jobs on deep, hot liners, (Tech. Paper) JPT Nov., 1307
- Wasson San Andres field: use of the SP log in waterflood surveillance, (Tech. Paper) JPT Feb., 151
- West: reservoir engineering design of a low-pressure rich gas miscible slug flood, (Tech. Paper) JPT May, 599
- Thermal recovery of oil: Brea field, California: steam distillation drive, (Tech. Paper) JPT Aug., 899
- cyclic steam injection: optimization of process using penalty functions, (Tech. Paper) SPEJ Feb., 13
- in-situ combustion: current appraisal of field tests, (Tech. Paper) JPT Apr., 477
- heat of combustion and kinetics, SPEJ Oct., 410
- thin reservoir containing high-gravity oil, JPT Feb., 199
- North Tisdale field, Wyoming, (Tech. Paper) JPT May, 606
- steam drive: pilot tertiary recovery test, El Dorado field, Kansas, (Tech. Paper) JPT Nov., 1377
- steam injection: wellbore heat losses and pressure drop, (Tech. Paper) JPT Feb., 139
- steam stimulation: correlation of performance, (Forum) JPT Dec., 1367
- steamflooding: one-dimensional, analytical method for predicting oil recovery, (Tech. Paper) SPEJ Dec., 489
- thermal coupling of reservoir and overburden: semi-analytic method, SPEJ Oct., 439
- Tulsa SPE meeting in retrospect, (Art.) JPT June, 686
- Thixotropy: polymer-polyelectrolyte drilling fluid systems, (Tech. Paper) JPT Oct., 1255
- Thomasville field: See Mississippi
- Torrey Canyon: oil spill: factors causing environmental changes, (Tech. Paper) JPT Mar., 250
- Transient flow: gas pipeline: compressibility effects, (Tech. Paper) SPEJ Aug., 315
- vertically fractured wells: well-test analysis, JPT Aug., 1014
- Transients: fluid flow in porous media: pulse testing, SPEJ Oct., 403
- testing: field examples of automatic transient test analysis, (Tech. Paper) JPT Oct., 1271
- well productivity: vertically fractured wells prior to stabilized flow, (Tech. Paper) JPT July, 807
- Transmissibility: correlation: steam stimulation performance, (Forum) JPT Nov., 1367
- Transportation: natural gas systems: sensitivity analysis applied to steady-state model, (Tech. Paper) SPEJ Apr., 115
- Turbulent flow: gas: determining non-Darcy flow coefficients and Klinkenberg permeability from measurements in unsteady-state permeameter, (Tech. Paper) SPEJ Oct., 383
- Utah: oil shale: impending energy source, (Tech. Paper) JPT Nov., 1325
- White Mesa area: considerations in use of 796-volt power for waterflood plants, (Tech. Paper) JPT Oct., 1196
- ## V
- Valuations: See Evaluations
- Valves: down-hole safety: well control, (Tech. Paper) JPT Mar., 263
- Velocity logging: See Acoustic velocity logs
- Venezuela: inside casing gravel-pack completions: productivity of, (Tech. Paper) JPT Apr., 419
- Vessel: slow drift oscillations: analysis of peak mooring forces in random seas, (Tech. Paper) SPEJ Aug., 329
- Vibrations: instantaneous log: based on a dynamic theory of drilling, JPT June, 750
- Viscosity: bentonitic fluid: effect on drilling rate, (Tech. Paper) JPT June, 657
- shear: ionic polyacrylamide solutions, (Tech. Paper) SPEJ Dec., 469
- Viscous flow: See Fluid flow
- Volumetric behavior: Katy gas field: long-range planning as related to sales, (Tech. Paper) JPT Feb., 145
- ## W
- Wasson San Andres field: See Texas
- Water: jet cutting: sedimentary rock, (Tech. Paper) JPT July, 797
- quality: measuring and predicting well impairment, JPT July, 865
- sensitive formations: stabilization of formation clays with hydroxy-aluminum solutions, JPT July, 860
- solubility of gaseous hydrocarbon mixtures in, SPEJ Feb., 21
- Water coning: semi-implicit reservoir simulation techniques: tests of stability and time-step sensitivity, SPEJ June, 253
- Water drive: inhomogeneous reservoirs: permeability variations perpendicular to the layer, SPEJ June, 211
- Water injection: See Waterflooding
- Water saturation: effect on gas permeability of tight sandstone cores along with overburden pressure, (Tech. Paper) JPT Feb., 120
- irreducible: empirical correlation for low-resistivity sand log analysis, (Tech. Paper) JPT Nov., 1302
- Water treating: removal of corrosive gas, (Tech. Paper) JPT Feb., 181
- Waterflooding: followed by micellar solution flooding: field test, JPT Sept., 1161
- followed by propane-gas water miscible floods: Adena field, Colorado, (Tech. Paper) JPT Oct., 1264
- Hewitt unit, Oklahoma: surface and reservoir control of injection water, (Tech. Paper) JPT Apr., 426
- oil saturation measurement after flood: Bartlesville sand, (Tech. Paper) JPT Dec., 1411
- peripheral: effect of operating decisions on cash flow, (Tech. Paper) JPT Nov., 1320
- plants: considerations in use of 796-volt power, (Tech. Paper) JPT Oct., 1196
- polymers: effect of inaccessible pore volume, SPEJ Oct., 448
- porous media: effect of interfacial films on displacement of oil by water, SPEJ Feb., 60
- Sharon Ridge Canyon unit, Texas: performance with water injection, (Tech. Paper) JPT Apr., 431
- simulation: behavior in reservoir previously invaded by gas, (Tech. Paper) JPT Aug., 909
- Stretford process: East Wilmington field, California, (Tech. Paper) JPT May, 545
- surveillance: use of the SP log, (Tech. Paper) JPT Feb., 151
- tertiary surfactant: relationship between pore structure and residual oil saturation, (Tech. Paper) SPEJ Aug., 289
- Wave action: dynamic behavior of offshore structures: time series model, SPEJ Apr., 156
- random seas: analysis of drilling barge motions, SPEJ Dec., 541
- slow drift oscillations of moored object, (Tech. Paper) SPEJ June, 191
- Wave front: regular and irregular: effect of steepness on an oil containment boom, JPT Aug., 1007

U

- Underground combustion: See Thermal recovery of oil
- Underground storage: evolution of capillarity and relative permeability hysteresis, SPEJ Feb., 28
- United States: gas reserves: compiling and reporting proved and potential natural gas, (Tech. Paper) JPT May, 531
- how should they be compiled and reported?, (Tech. Paper) JPT May, 530
- gas supplies: supplementing with imported LNG, (Tech. Paper) JPT May, 535

- Wave height: analysis of peak mooring forces: caused by slow vessel drift oscillations in random seas, (Tech. Paper) SPEJ Aug., 329
- Gulf of Mexico: hindcasting hurricane waves, (Tech. Paper) SPEJ Aug., 321
- Well completion: *See also* specific types and Well stimulation deep, hot liners: using improved technology to obtain better cement jobs, (Tech. Paper) JPT Nov., 1307
- inside casing gravel-pack completions: productivity of, (Tech. Paper) JPT Apr., 419
- perforation performance: backsurgings and abrasive perforating to improve, (Tech. Paper) JPT Oct., 1207
- practices: study to minimize gas communication, (Tech. Paper) JPT Sept., 1170
- tubingless, multiple: locating channels in wells with routine radioactivity logs, (Tech. Paper) JPT Apr., 375
- Well logging: dual-spacing neutron log: CNL, (Tech. Paper) JPT Sept., 1073
- elastic moduli: static and dynamic properties of two sandstones at permafrost temperatures, JPT Apr., 495
- instantaneous formation log: based on dynamic theory of drilling, JPT June, 750
- interpretation: new approach for low-resistivity sand, (Tech. Paper) JPT Nov., 1302
- letter and computer symbols: supplements to, JPT Aug., 973
- magnetostatic methods: estimating distance and direction from a relief well to a cased wellbore, JPT June, 741
- NML measurements: permeability estimates from, (Tech. Paper) JPT Aug., 923
- noise measurement: used to determine sand production in a well, (Tech. Paper) JPT July, 803
- resistivity measurements: designed to determine distance between uncased and cased wellbores, JPT June, 723
- routine radioactivity logs: locating channels in multiple tubingless wells, (Tech. Paper) JPT Apr., 375
- SP log: use in waterflood surveillance, (Tech. Paper) JPT Feb., 151
- Well logs: geopressure prediction: effect of overburden stress, (Tech. Paper) JPT Aug., 929
- Well pattern: five-spots: developed and unconfined; directional permeability effects, JPT Apr., 487
- prediction of recovery in unstable miscible flooding, (Tech. Paper) SPEJ Apr., 143
- Well performance: *See also* Wellbore mechanics commingled zones production: well-test analysis, JPT Jan., 27
- impairment predictions: from suspended solids in injection water, JPT July, 865
- problems: perforations a prime source, (Tech. Paper) JPT Apr., 399
- wild well: evaluation of explosive kill concept, (Tech. Paper) JPT Sept., 1084
- Well productivity: inside casing gravel-pack completions, (Tech. Paper) JPT Apr., 419
- Well spacing: minimum: graphical determination for economic recovery, (Forum) JPT Dec., 1470
- Well stimulation: *See also* Formation fracturing and Perforating
- diverting agents: history and application, (Tech. Paper) JPT May, 593
- gas: with viscous water-base fracturing fluid, (Tech. Paper) JPT Nov., 1385
- hydraulic fracturing: field experiments, SPEJ Feb., 69
- Well surveying: calculations: systematic approach, (Tech. Paper) SPEJ Dec., 474
- Well workovers: *See* Workovers
- Wellbore mechanics: damage by scale: field performance of a liquid inhibitor squeeze program, (Tech. Paper) JPT July, 812
- heat losses and pressure drop: steam injection, (Tech. Paper) JPT Feb., 139
- magnetostatic methods: estimating distance and direction from a relief well to a cased wellbore, JPT June, 741
- stability if uncased: behavior when situated in elastic/plastic media under hydrostatic stress, SPEJ Feb., 49
- storage: field examples of automatic transient test analysis, (Tech. Paper) JPT Oct., 1271
- well surveying calculations: systematic approach, (Tech. Paper) SPEJ Dec., 474
- Wettability: laboratory evaluation: 50 oil producing reservoirs, SPEJ Dec., 531
- White Mesa area: *See* Utah
- Wilmington field: *See* California
- Workovers: economics: complete but simple, (Tech. Paper) Jan., 67
- Wyoming: Big Horn basin: operating costs and performance of large-volume submersible pumps, (Tech. Paper) JPT Dec., 1473
- Green River oil shale: evaluation of in-situ retorting experiment, (Tech. Paper) JPT Jan., 21
- North Tisdale field: thermal recovery, (Tech. Paper) JPT May, 606
- oil shale: impending energy source, (Tech. Paper) JPT Nov., 1325

